




**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**

**Saddle SCH 40**

(Continued)

IPS O. D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size  | H        | L      | M       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|--------|---------|--------------------|
| 3763-628    | 10X8  | 7-3/8    | 18     | 9-1/4   | 5.08               |
| 3763-661    | 12X2  | 7-5/18   | 8-3/4  | 3-3/16  | 1.87               |
| 3763-663    | 12X3  | 7-15/16  | 9      | 4-5/16  | 1.87               |
| 3763-664    | 12X4  | 7-3/4    | 10     | 5-5/16  | 2.86               |
| 3763-666    | 12X6  | 8-1/2    | 14     | 7-7/16  | 4.60               |
| 3763-668    | 12X8  | 7-7/8    | 18     | 9-7/16  | 6.85               |
| 3763-670    | 12X10 | 8-9/16   | 18     | 11-5/8  | 8.37               |
| 3763-691    | 14X2  | 8-1/4    | 9      | 3-3/16  | 1.87               |
| 3763-693    | 14X3  | 8-5/8    | 10     | 4-5/16  | 2.00               |
| 3763-694    | 14X4  | 8-9/16   | 12     | 5-3/8   | 3.48               |
| 3763-696    | 14X6  | 8-3/4    | 14     | 7-5/8   | 5.68               |
| 3763-698    | 14X8  | 9-3/8    | 17     | 9-5/8   | 6.71               |
| 3763-700    | 14X10 | 9-7/16   | 19-1/2 | 11-5/8  | 9.05               |
| 3763-702    | 14X12 | 9-7/16   | 20-3/4 | 13-5/8  | 9.47               |
| 3763-751    | 16X2  | 9-5/16   | 9      | 3-3/16  | 1.87               |
| 3763-753    | 16X3  | 9-1/2    | 11-1/2 | 4-5/16  | 2.33               |
| 3763-754    | 16X4  | 9-1/4    | 13-1/2 | 5-1/2   | 4.29               |
| 3763-756    | 16X6  | 9-7/8    | 14     | 7-5/8   | 5.74               |
| 3763-758    | 16X8  | 10-3/16  | 17     | 9-3/4   | 8.37               |
| 3763-760    | 16X10 | 10-3/8   | 19     | 11-3/4  | 14.05              |
| 3763-762    | 16X12 | 10-1/2   | 20-3/4 | 13-3/4  | 11.16              |
| 3763-764    | 16X14 | 10-5/8   | 24     | 15      | 14.64              |
| 3763-781    | 18X2  | 10-1/4   | 9      | 3-3/16  | 1.98               |
| 3763-783    | 18X3  | 10-13/16 | 11-1/2 | 4-5/16  | 2.36               |
| 3763-784    | 18X4  | 10-3/16  | 10     | 5-1/2   | 3.30               |
| 3763-786    | 18X6  | 11-1/16  | 14-3/4 | 7-3/4   | 7.57               |
| 3763-788    | 18X8  | 11-1/4   | 17     | 9-5/8   | 6.87               |
| 3763-790    | 18X10 | 11-5/8   | 19     | 11-3/4  | 12.00              |
| 3763-792    | 18X12 | 11-5/8   | 20-3/4 | 13-3/4  | 12.77              |
| 3763-794    | 18X14 | 11-11/16 | 24     | 15-3/16 | 24.44              |
| 3763-796    | 18X16 | 11-15/16 | 26     | 17-3/16 | 24.00              |
| 3763-811    | 20X2  | 11-5/16  | 9      | 3-3/16  | 1.87               |
| 3763-813    | 20X3  | 11-7/16  | 11-1/2 | 4-5/16  | 2.31               |
| 3763-814    | 20X4  | 11-13/16 | 10     | 5-1/2   | 3.23               |
| 3763-816    | 20X6  | 12-1/4   | 14-3/4 | 7-5/8   | 6.56               |
| 3763-818    | 20X8  | 12-3/8   | 17     | 9-5/8   | 6.98               |
| 3763-820    | 20X10 | 20-3/4   | 19     | 11-3/4  | 12.00              |
| 3763-822    | 20X12 | 12-3/4   | 20-3/4 | 13-3/4  | 12.66              |
| 3763-824    | 20X14 | 12-11/16 | 24     | 15-3/16 | 19.49              |


**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**



**Saddle SCH 40**

(Continued)


IPS O. D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size  | H        | L      | M       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|--------|---------|--------------------|
| 3763-826    | 20X16 | 12-11/16 | 26     | 17-3/16 | 25.59              |
| 3763-828    | 20X18 | 12-11/16 | 28     | 19-3/16 | 24.00              |
| 3763-901    | 24X2  | 13-5/16  | 9      | 3-3/16  | 2.48               |
| 3763-903    | 24X3  | 13-3/4   | 11-1/2 | 4-5/16  | 2.31               |
| 3763-904    | 24X4  | 14-3/16  | 11     | 5-5/8   | 4.40               |
| 3763-906    | 24X6  | 14-1/4   | 14-3/4 | 7-5/8   | 6.21               |
| 3763-908    | 24X8  | 14-5/16  | 17     | 9-3/4   | 9.31               |
| 3763-910    | 24X10 | 15       | 19     | 11-7/8  | 12.00              |
| 3763-912    | 24X12 | 14-1/2   | 20-3/4 | 13-3/4  | 12.77              |
| 3763-914    | 24X14 | 14-5/8   | 24     | 15      | 31.27              |
| 3763-916    | 24X16 | 14-13/16 | 26     | 17-3/16 | 25.59              |
| 3763-918    | 24X18 | 14-13/16 | 26     | 17-3/16 | 22.22              |
| 3763-920    | 24X20 | 14-15/16 | 30     | 21-3/8  | 42.06              |

**Saddle SCH 80**

IPS O.D. X Socket Schedule 80  
 Non-Pressure rated



| Part Number | Size | H       | L     | M      | Approx. Wt. (Lbs.) |
|-------------|------|---------|-------|--------|--------------------|
| 3963-528    | 6X2  | 4-3/16  | 8-3/4 | 3      | 1.25               |
| 3963-530    | 6X3  | 4-1/2   | 9     | 4-5/16 | 1.96               |
| 3963-532    | 6X4  | 4-3/4   | 10    | 5-1/4  | 1.98               |
| 3963-578    | 8X2  | 5-5/16  | 8-3/4 | 3-3/16 | 1.91               |
| 3963-580    | 8X3  | 5-7/8   | 9     | 4-5/16 | 2.09               |
| 3963-582    | 8X4  | 5-13/16 | 10    | 5-5/16 | 2.46               |
| 3963-585    | 8X6  | 6-1/8   | 14    | 7-7/16 | 4.11               |
| 3963-621    | 10X2 | 6-9/16  | 8-3/4 | 3-3/16 | 1.89               |
| 3963-623    | 10X3 | 6-7/8   | 9     | 4-5/16 | 1.89               |
| 3963-624    | 10X4 | 6-3/4   | 10    | 5-5/16 | 3.06               |
| 3963-626    | 10X6 | 7-3/8   | 14    | 7-3/8  | 4.42               |
| 3963-628    | 10X8 | 7-7/16  | 18    | 9-7/16 | 6.60               |
| 3963-661    | 12X2 | 7-5/8   | 8-3/4 | 3-3/16 | 1.78               |
| 3963-663    | 12X3 | 7-15/16 | 9     | 4-5/16 | 1.80               |




**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**

**Saddle SCH 80**

(Continued)

IPS O.D. X Socket Schedule 80  
 Non-Pressure rated



| Part Number | Size  | H        | L      | M       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|--------|---------|--------------------|
| 3963-664    | 12X4  | 7-3/4    | 10     | 5-5/16  | 2.77               |
| 3963-666    | 12X6  | 8-1/2    | 14     | 7-7/16  | 4.66               |
| 3963-668    | 12X8  | 7-7/8    | 18     | 9-7/16  | 6.62               |
| 3963-670    | 12X10 | 8-9/16   | 18     | 11-5/8  | 8.48               |
| 3963-691    | 14X2  | 8-1/4    | 9      | 3-3/16  | 2.09               |
| 3963-693    | 14X3  | 8-5/8    | 10     | 4-5/16  | 2.00               |
| 3963-694    | 14X4  | 8-9/16   | 12     | 5-3/8   | 3.50               |
| 3963-696    | 14X6  | 8-3/4    | 14     | 7-5/8   | 5.70               |
| 3963-698    | 14X8  | 9-3/8    | 17     | 9-5/8   | 8.14               |
| 3963-700    | 14X10 | 9-7/16   | 19-1/2 | 11-5/8  | 8.81               |
| 3963-702    | 14X12 | 9-7/16   | 20-3/4 | 13-5/8  | 11.42              |
| 3963-751    | 16X2  | 9-5/16   | 9      | 3-3/16  | 1.98               |
| 3963-753    | 16X3  | 9-1/2    | 11-1/2 | 4-5/16  | 2.33               |
| 3963-754    | 16X4  | 9-1/4    | 13-1/2 | 5-1/2   | 4.42               |
| 3963-756    | 16X6  | 9-7/8    | 14     | 7-5/8   | 5.77               |
| 3963-758    | 16X8  | 10-3/16  | 17     | 9-3/4   | 8.70               |
| 3963-760    | 16X10 | 10-3/8   | 19     | 11-3/4  | 11.43              |
| 3963-762    | 16X12 | 10-1/2   | 20-3/4 | 13-3/4  | 13.43              |
| 3963-764    | 16X14 | 10-5/8   | 24     | 15      | 14.64              |
| 3963-781    | 18X2  | 10-1/4   | 9      | 3-3/16  | 1.87               |
| 3963-783    | 18X3  | 10-13/16 | 11-1/2 | 4-5/16  | 2.63               |
| 3963-784    | 18X4  | 10-3/16  | 10     | 5-1/2   | 2.64               |
| 3963-786    | 18X6  | 11-1/16  | 14-3/4 | 7-3/4   | 7.37               |
| 3963-788    | 18X8  | 11-1/4   | 17     | 9-5/8   | 7.31               |
| 3963-790    | 18X10 | 11-5/8   | 19     | 11-3/4  | 12.00              |
| 3963-792    | 18X12 | 11-5/8   | 20-3/4 | 13-3/4  | 13.43              |
| 3963-794    | 18X14 | 11-11/16 | 24     | 15-3/16 | 24.44              |
| 3963-796    | 18X16 | 11-15/16 | 26     | 17-3/16 | 20.16              |
| 3963-811    | 20X2  | 11-5/16  | 9      | 3-3/16  | 2.42               |
| 3963-813    | 20X3  | 11-7/16  | 11-1/2 | 4-5/16  | 2.31               |
| 3963-814    | 20X4  | 11-13/16 | 10     | 5-1/2   | 3.52               |
| 3963-816    | 20X6  | 12-1/4   | 14-3/4 | 7-5/8   | 6.32               |
| 3963-818    | 20X8  | 12-3/8   | 17     | 9-5/8   | 7.37               |
| 3963-820    | 20X10 | 12-3/4   | 19     | 11-3/4  | 12.44              |
| 3963-822    | 20X12 | 12-3/4   | 20-3/4 | 13-3/4  | 13.76              |
| 3963-824    | 20X14 | 12-11/16 | 24     | 15-3/16 | 19.49              |
| 3963-826    | 20X16 | 12-11/16 | 26     | 17-3/16 | 24.18              |
| 3963-828    | 20X18 | 12-11/16 | 28     | 19-3/16 | 24.00              |
| 3963-901    | 24X2  | 13-5/16  | 9      | 3-3/16  | 1.76               |


**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**



**Saddle SCH 80**

(Continued)


IPS O.D. X Socket Schedule 80  
 Non-Pressure rated



| Part Number | Size  | H        | L      | M       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|--------|---------|--------------------|
| 3963-903    | 24X3  | 13-3/4   | 11-1/2 | 4-5/16  | 2.63               |
| 3963-904    | 24X4  | 14-3/16  | 11     | 5-5/8   | 5.06               |
| 3963-906    | 24X6  | 14-1/4   | 14-3/4 | 7-5/8   | 5.55               |
| 3963-908    | 24X8  | 14-5/16  | 17     | 9-3/4   | 9.31               |
| 3963-910    | 24X10 | 15       | 19     | 11-7/8  | 11.76              |
| 3963-912    | 24X12 | 14-1/2   | 20-3/4 | 13-3/4  | 13.65              |
| 3963-914    | 24X14 | 14-5/8   | 24     | 15      | 31.27              |
| 3963-916    | 24X16 | 14-13/16 | 26     | 17-3/16 | 26.19              |
| 3963-918    | 24X18 | 14-11/16 | 28     | 19-3/16 | 28.21              |
| 3963-920    | 24X20 | 14-15/16 | 30     | 21-3/8  | 42.06              |

**Stub Saddle- SCH 40**

IPS O.D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size | H        | L     | M       | N      | Approx. Wt. (Lbs.) |
|-------------|------|----------|-------|---------|--------|--------------------|
| 3765-528    | 6X2  | 7-5/16   | 8-3/4 | 2-11/16 | 2-1/4  | 1.32               |
| 3765-530    | 6X3  | 8-9/16   | 9     | 3-15/16 | 3      | 2.46               |
| 3765-532    | 6X4  | 8-7/8    | 10    | 5       | 3-5/16 | 2.35               |
| 3765-578    | 8X2  | 8-5/16   | 8-3/4 | 2-11/16 | 2-1/4  | 2.13               |
| 3765-580    | 8X3  | 9-9/16   | 9     | 3-15/16 | 3      | 2.48               |
| 3765-582    | 8X4  | 9-7/8    | 10    | 5       | 3-5/16 | 3.01               |
| 3765-585    | 8X6  | 11-13/16 | 14    | 7-1/2   | 4-1/4  | 4.51               |
| 3765-621    | 10X2 | 9-3/8    | 8-3/4 | 2-11/16 | 2-1/4  | 2.15               |
| 3765-623    | 10X3 | 10-5/8   | 9     | 3-15/16 | 3      | 2.53               |
| 3765-624    | 10X4 | 10-15/16 | 10    | 5       | 3-5/16 | 3.11               |
| 3765-626    | 10X6 | 12       | 14    | 7-3/16  | 3-3/8  | 6.21               |
| 3765-628    | 10X8 | 12-15/16 | 18    | 9-1/4   | 3-5/16 | 8.28               |
| 3765-661    | 12X2 | 10-3/8   | 8-3/4 | 2-11/16 | 2-1/4  | 2.13               |
| 3765-663    | 12X3 | 11-5/8   | 9     | 3-15/16 | 3      | 2.53               |
| 3765-664    | 12X4 | 11-15/16 | 10    | 5       | 3-5/16 | 3.87               |
| 3765-666    | 12X6 | 13       | 14    | 7-3/16  | 3-3/8  | 6.76               |
| 3765-668    | 12X8 | 13-15/16 | 18    | 9-1/4   | 3-5/16 | 10.12              |




**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**

**Stub Saddle- SCH 40**

(Continued)

IPS O.D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size  | H        | L      | M       | N       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|--------|---------|---------|--------------------|
| 3765-670    | 12X10 | 16       | 18     | 11-1/2  | 4-3/8   | 15.13              |
| 3765-691    | 14X2  | 11       | 9      | 2-11/16 | 2-1/4   | 2.13               |
| 3765-693    | 14X3  | 12-1/4   | 10     | 3-15/16 | 3       | 2.77               |
| 3765-694    | 14X4  | 12-9/16  | 12     | 5       | 3-5/16  | 4.49               |
| 3765-696    | 14X6  | 13-5/8   | 14     | 7-3/16  | 3-3/8   | 7.79               |
| 3765-698    | 14X8  | 14-9/16  | 17     | 9-1/4   | 3-5/16  | 11.65              |
| 3765-700    | 14X10 | 16-5/8   | 19-1/2 | 11-1/2  | 4-3/8   | 15.61              |
| 3765-702    | 14X12 | 17-7/16  | 20-3/4 | 13-9/16 | 4-3/16  | 18.58              |
| 3765-751    | 16X2  | 12       | 9      | 2-11/16 | 2-1/4   | 2.64               |
| 3765-753    | 16X3  | 13-1/4   | 11-1/2 | 3-15/16 | 3       | 3.50               |
| 3765-754    | 16X4  | 13-9/16  | 13-1/2 | 5       | 3-5/16  | 5.30               |
| 3765-756    | 16X6  | 14-5/8   | 14     | 7-3/16  | 3-3/8   | 7.61               |
| 3765-758    | 16X8  | 15-9/16  | 17     | 9-1/4   | 3-5/16  | 12.33              |
| 3765-760    | 16X10 | 17-5/8   | 19     | 11-1/2  | 4-3/8   | 17.86              |
| 3765-762    | 16X12 | 18-7/16  | 20-3/4 | 13-9/16 | 4-3/16  | 20.83              |
| 3765-764    | 16X14 | 19-7/16  | 24     | 14-7/8  | 4-7/16  | 26.63              |
| 3765-781    | 18X2  | 13       | 9      | 2-11/16 | 2-1/4   | 3.19               |
| 3765-783    | 18X3  | 14-1/4   | 11-1/2 | 3-15/16 | 3       | 3.02               |
| 3765-784    | 18X4  | 14-9/16  | 10     | 4-7/8   | 3-5/16  | 4.71               |
| 3765-786    | 18X6  | 15-5/8   | 14-3/4 | 7-3/16  | 3-3/8   | 9.42               |
| 3765-788    | 18X8  | 16-9/16  | 17     | 9-1/4   | 3-5/16  | 10.88              |
| 3765-790    | 18X10 | 18-5/8   | 19     | 11-1/2  | 4-3/8   | 18.30              |
| 3765-792    | 18X12 | 19-1/4   | 20-3/4 | 13-9/16 | 4-3/16  | 22.79              |
| 3765-794    | 18X14 | 20-7/16  | 24     | 14-7/8  | 4-7/16  | 37.94              |
| 3765-796    | 18X16 | 22-3/8   | 26     | 17      | 5-3/8   | 42.39              |
| 3765-811    | 20X2  | 14       | 9      | 2-11/16 | 2-1/4   | 2.13               |
| 3765-813    | 20X3  | 15-1/4   | 11-1/2 | 3-15/16 | 3       | 2.97               |
| 3765-814    | 20X4  | 15-9/16  | 10     | 5       | 3-5/16  | 4.25               |
| 3765-816    | 20X6  | 16-5/8   | 14-3/4 | 7-3/16  | 3-3/8   | 8.48               |
| 3765-818    | 20X8  | 17-9/16  | 17     | 9-1/4   | 3-5/16  | 11.60              |
| 3765-820    | 20X10 | 19-5/8   | 19     | 11-1/2  | 4-3/8   | 18.17              |
| 3765-822    | 20X12 | 20-7/16  | 20-3/4 | 13-9/16 | 4-3/16  | 22.79              |
| 3765-824    | 20X14 | 21-7/16  | 24     | 14-3/4  | 4-7/16  | 31.95              |
| 3765-826    | 20X16 | 23-3/8   | 26     | 17      | 5-3/8   | 43.97              |
| 3765-828    | 20X18 | 23-15/16 | 28     | 19-1/8  | 4-15/16 | 49.74              |
| 3765-903    | 24X3  | 17-1/4   | 11-1/2 | 3-15/16 | 3       | 2.97               |
| 3765-904    | 24X4  | 17-9/16  | 11     | 5       | 3-5/16  | 5.39               |
| 3765-906    | 24X6  | 18-5/8   | 14-3/4 | 7-3/16  | 3-3/8   | 8.19               |
| 3765-908    | 24X8  | 19-9/16  | 17     | 9-1/4   | 3-5/16  | 15.50              |


**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**



**Stub Saddle- SCH 40**

(Continued)


IPS O.D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size  | H        | L      | M       | N       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|--------|---------|---------|--------------------|
| 3765-910    | 24X10 | 21-5/8   | 19     | 11-1/2  | 4-3/8   | 18.28              |
| 3765-912    | 24X12 | 22-7/16  | 20-3/4 | 13-9/16 | 4-3/16  | 21.89              |
| 3765-914    | 24X14 | 23-7/16  | 24     | 14-7/8  | 4-7/16  | 43.74              |
| 3765-916    | 24X16 | 25-3/8   | 26     | 17      | 5-3/8   | 43.97              |
| 3765-918    | 24X18 | 25-15/16 | 28     | 19-1/8  | 4-15/16 | 47.95              |
| 3765-920    | 24X20 | 28       | 30     | 21-3/16 | 6       | 75.53              |

**Stub Saddle- SCH 80**

IPS O.D. X Socket Schedule 80  
 Non-Pressure Rated



| Part Number | Size  | H        | L     | M        | N      | Approx. Wt. (Lbs.) |
|-------------|-------|----------|-------|----------|--------|--------------------|
| 3965-528    | 6X2   | 7-3/8    | 8-3/4 | 2-13/16  | 2-5/16 | 1.58               |
| 3965-530    | 6X3   | 8-7/16   | 9     | 4-1/8    | 2-7/8  | 2.79               |
| 3965-532    | 6X4   | 9-7/16   | 10    | 5-3/16   | 3-7/8  | 3.45               |
| 3965-578    | 8X2   | 8-3/8    | 8-3/4 | 2-13/16  | 2-5/16 | 2.11               |
| 3965-580    | 8X3   | 9-7/16   | 9     | 4-1/8    | 2-7/8  | 2.75               |
| 3965-582    | 8X4   | 10-7/16  | 10    | 5-3/16   | 3-7/8  | 4.06               |
| 3965-585    | 8X6   | 11-13/16 | 14    | 7-1/2    | 4-1/4  | 7.48               |
| 3965-621    | 10X2  | 9-7/16   | 8-3/4 | 2-13/16  | 2-5/16 | 2.30               |
| 3965-623    | 10X3  | 10-1/2   | 9     | 4-1/8    | 2-7/8  | 2.87               |
| 3965-624    | 10X4  | 11-1/2   | 10    | 5-3/16   | 3-7/8  | 4.40               |
| 3965-626    | 10X6  | 12-7/8   | 14    | 7-1/2    | 4-1/4  | 7.96               |
| 3965-628    | 10X8  | 14-3/4   | 18    | 9-5/8    | 5-1/8  | 13.32              |
| 3965-661    | 12X2  | 10-7/16  | 8-3/4 | 2-13/16  | 2-5/16 | 2.22               |
| 3965-663    | 12X3  | 11-1/2   | 9     | 4-1/8    | 2-7/8  | 2.75               |
| 3965-664    | 12X4  | 12-1/2   | 10    | 5-3/16   | 3-7/8  | 4.39               |
| 3965-666    | 12X6  | 13-7/8   | 14    | 7-1/2    | 4-1/4  | 8.21               |
| 3965-668    | 12X8  | 15-3/4   | 18    | 9-5/8    | 5-1/8  | 13.87              |
| 3965-670    | 12X10 | 16-3/4   | 18    | 11-15/16 | 5-1/8  | 19.77              |
| 3965-691    | 14X2  | 11-1/16  | 9     | 2-13/16  | 2-5/16 | 2.42               |
| 3965-693    | 14X3  | 12-1/8   | 10    | 4-1/8    | 2-7/8  | 3.19               |
| 3965-694    | 14X4  | 13-1/8   | 12    | 5-3/16   | 3-7/8  | 5.12               |




**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**

**Stub Saddle- SCH 80**

(Continued)

IPS O.D. X Socket Schedule 80  
 Non-Pressure Rated



| Part Number | Size  | H       | L      | M        | N      | Approx. Wt. (Lbs.) |
|-------------|-------|---------|--------|----------|--------|--------------------|
| 3965-696    | 14X6  | 14-1/2  | 14     | 7-1/2    | 4-1/4  | 9.24               |
| 3965-698    | 14X8  | 16-3/8  | 17     | 9-5/8    | 5-1/8  | 15.24              |
| 3965-700    | 14X10 | 17-3/8  | 19-1/2 | 11-15/16 | 5-1/8  | 20.12              |
| 3965-702    | 14X12 | 18-3/8  | 20-3/4 | 14-1/8   | 5-1/8  | 28.80              |
| 3965-751    | 16X2  | 12-1/16 | 9      | 2-13/16  | 2-5/16 | 2.53               |
| 3965-753    | 16X3  | 13-1/8  | 11-1/2 | 4-1/8    | 2-7/8  | 3.28               |
| 3965-754    | 16X4  | 14-1/8  | 13-1/2 | 5-3/16   | 3-7/8  | 6.32               |
| 3965-756    | 16X6  | 15-1/2  | 14     | 7-1/2    | 4-1/4  | 9.04               |
| 3965-758    | 16X8  | 17-3/8  | 17     | 9-5/8    | 5-1/8  | 16.89              |
| 3965-760    | 16X10 | 18-3/8  | 19     | 11-15/16 | 5-1/8  | 16.89              |
| 3965-762    | 16X12 | 19-3/8  | 20-3/4 | 14-1/8   | 5-1/8  | 29.51              |
| 3965-764    | 16X14 | 20-1/2  | 24     | 15-1/2   | 5-1/2  | 37.74              |
| 3965-781    | 18X2  | 13-1/16 | 9      | 2-13/16  | 2-5/16 | 2.84               |
| 3965-783    | 18X3  | 14-1/8  | 11-1/2 | 4-1/8    | 2-7/8  | 3.61               |
| 3965-784    | 18X4  | 15-1/8  | 10     | 5-3/16   | 3-7/8  | 4.30               |
| 3965-786    | 18X6  | 16-1/2  | 14-3/4 | 7-1/2    | 4-1/4  | 10.51              |
| 3965-788    | 18X8  | 18-3/8  | 17     | 9-5/8    | 5-1/8  | 15.37              |
| 3965-790    | 18X10 | 19-3/8  | 19     | 11-5/16  | 5-1/8  | 23.32              |
| 3965-792    | 18X12 | 20-3/8  | 20-3/4 | 14-1/8   | 5-1/8  | 30.81              |
| 3965-794    | 18X14 | 21-1/2  | 24     | 15-1/2   | 5-1/2  | 46.43              |
| 3965-796    | 18X16 | 23-1/8  | 26     | 17-11/16 | 6-1/8  | 51.96              |
| 3965-811    | 20X2  | 14-1/16 | 9      | 2-13/16  | 2-5/16 | 2.64               |
| 3965-813    | 20X3  | 15-1/8  | 11-1/2 | 4-1/8    | 2-7/8  | 3.30               |
| 3965-814    | 20X4  | 16-1/8  | 10     | 5-3/16   | 3-7/8  | 5.17               |
| 3965-816    | 20X6  | 17-1/2  | 14-3/4 | 7-1/2    | 4-1/4  | 10.06              |
| 3965-818    | 20X8  | 19-3/8  | 17     | 9-5/8    | 5-1/8  | 14.48              |
| 3965-820    | 20X10 | 20-3/8  | 19     | 11-15/16 | 5-1/8  | 23.75              |
| 3965-822    | 20X12 | 21-3/8  | 20-3/4 | 14-1/8   | 5-1/8  | 31.14              |
| 3965-824    | 20X14 | 22-1/2  | 24     | 15-1/2   | 5-1/2  | 42.59              |
| 3965-826    | 20X16 | 24-1/8  | 26     | 17-11/16 | 6-1/8  | 55.98              |
| 3965-828    | 20X18 | 25      | 28     | 19-7/8   | 6      | 68.73              |
| 3965-901    | 24X2  | 16-1/16 | 9      | 2-13/16  | 2-5/16 | 3.04               |
| 3965-903    | 24X3  | 17-1/8  | 11-1/2 | 4-1/8    | 2-7/8  | 3.08               |
| 3965-904    | 24X4  | 18-1/8  | 11     | 5-3/16   | 3-7/8  | 6.48               |
| 3965-906    | 24X6  | 19-1/2  | 14-3/4 | 7-1/2    | 4-1/4  | 9.09               |
| 3965-908    | 24X8  | 21-3/8  | 17     | 9-5/8    | 5-1/8  | 15.85              |
| 3965-910    | 24X10 | 22-3/8  | 19     | 11-15/16 | 5-1/8  | 22.04              |
| 3965-912    | 24X12 | 23-3/8  | 20-3/4 | 14-1/8   | 5-1/8  | 29.84              |
| 3965-914    | 24X14 | 24-1/2  | 24     | 15-1/2   | 5-1/2  | 54.37              |


**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**



**Stub Saddle- SCH 80**

(Continued)


IPS O.D. X Socket Schedule 80  
 Non-Pressure Rated



| Part Number | Size  | H      | L  | M        | N     | Approx. Wt. (Lbs.) |
|-------------|-------|--------|----|----------|-------|--------------------|
| 3965-916    | 24X16 | 26-1/8 | 26 | 17-11/16 | 6-1/8 | 57.99              |
| 3965-918    | 24X18 | 27     | 28 | 19-7/8   | 6     | 75.73              |
| 3965-920    | 24X20 | 29-3/8 | 30 | 22-1/16  | 7-3/8 | 107.05             |

**Wye Saddle, SCH 40**

IPS O. D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size  | G1       | H1       | L      | M1      | Approx. Wt. (Lbs.) |
|-------------|-------|----------|----------|--------|---------|--------------------|
| 3765-420X45 | 4X2   | 7-15/16  | 9-11/16  | 11-1/2 | 2-11/16 | 1.65               |
| 3765-422X45 | 4X3   | 8-7/16   | 10-11/16 | 13-3/4 | 3-15/16 | 2.42               |
| 3765-528X45 | 6X2   | 8-13/16  | 10-9/16  | 11-1/2 | 2-11/16 | 2.13               |
| 3765-530X45 | 6X3   | 9-15/16  | 12-3/16  | 13-3/4 | 3-15/16 | 2.86               |
| 3765-532X45 | 6X4   | 10-15/16 | 13-3/16  | 15-3/4 | 5       | 3.63               |
| 3765-578X45 | 8X2   | 10-1/4   | 12       | 11-1/2 | 2-11/16 | 3.14               |
| 3765-580X45 | 8X3   | 11-3/8   | 13-5/8   | 13-3/4 | 3-15/16 | 4.03               |
| 3765-582X45 | 8X4   | 12-3/8   | 14-5/8   | 15-3/4 | 5       | 5.09               |
| 3765-585X45 | 8X6   | 13-5/16  | 16-9/16  | 20     | 7-3/16  | 7.37               |
| 3765-621X45 | 10X2  | 11-3/4   | 13-1/2   | 11-1/2 | 2-11/16 | 2.92               |
| 3765-623X45 | 10X3  | 12-7/8   | 15-1/8   | 13-3/4 | 3-15/16 | 3.74               |
| 3765-624X45 | 10X4  | 13-7/8   | 16-1/8   | 15-3/4 | 5       | 6.52               |
| 3765-626X45 | 10X6  | 14-13/16 | 18-1/16  | 20     | 7-3/16  | 10.52              |
| 3765-628X45 | 10X8  | 16-1/4   | 20-1/4   | 24     | 9-1/4   | 13.32              |
| 3765-661X45 | 12X2  | 13-1/8   | 14-7/8   | 11-1/2 | 2-11/16 | 3.53               |
| 3765-663X45 | 12X3  | 14-1/4   | 16-1/2   | 13-3/4 | 3-15/16 | 5.11               |
| 3765-664X45 | 12X4  | 15-1/4   | 17-1/2   | 15-3/4 | 5       | 7.04               |
| 3765-666X45 | 12X6  | 16-3/16  | 19-7/16  | 20     | 7-3/16  | 12.28              |
| 3765-668X45 | 12X8  | 17-5/8   | 21-7/8   | 24     | 9-1/4   | 16.43              |
| 3765-670X45 | 12X10 | 18-11/16 | 23-15/16 | 28-1/4 | 11-1/2  | 24.58              |
| 3765-691X45 | 14X2  | 14       | 15-3/4   | 11-1/2 | 2-11/16 | 3.53               |
| 3765-693X45 | 14X3  | 15-1/8   | 17-3/8   | 13-3/4 | 3-15/16 | 5.11               |
| 3765-694X45 | 14X4  | 16-1/8   | 18-3/8   | 15-3/4 | 5       | 7.76               |
| 3765-696X45 | 14X6  | 17-1/16  | 20-5/16  | 20     | 7-3/16  | 12.99              |






**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**

**Wye Saddle, SCH 40**

(Continued)

IPS O. D. X Socket Schedule 40  
 Non-Pressure Rated



| Part Number | Size  | G1       | H1       | L      | M1      | Approx. Wt. (Lbs.) |
|-------------|-------|----------|----------|--------|---------|--------------------|
| 3765-698X45 | 14X8  | 18-1/2   | 22-3/4   | 24     | 9-1/4   | 18.37              |
| 3765-700X45 | 14X10 | 19-9/16  | 24-13/16 | 28-1/4 | 11-1/2  | 24.44              |
| 3765-702X45 | 14X12 | 21-1/2   | 27-3/4   | 32-1/4 | 13-9/16 | 33.40              |
| 3765-751X45 | 16X2  | 15-7/16  | 17-3/16  | 11-1/2 | 2-11/16 | 4.35               |
| 3765-753X45 | 16X3  | 16-9/16  | 18-13/16 | 13-3/4 | 3-15/16 | 4.73               |
| 3765-754X45 | 16X4  | 17-9/16  | 19-13/16 | 15-3/4 | 5       | 11.62              |
| 3765-756X45 | 16X6  | 18-1/2   | 21-3/4   | 20     | 7-3/16  | 10.99              |
| 3765-758X45 | 16X8  | 19-15/16 | 24-3/16  | 24     | 9-1/4   | 21.03              |
| 3765-760X45 | 16X10 | 21       | 26-1/4   | 28-1/4 | 11-1/2  | 27.97              |
| 3765-762X45 | 16X12 | 22-15/16 | 29-3/16  | 32-1/4 | 13-9/16 | 35.92              |
| 3765-764X45 | 16X14 | 23-3/16  | 30-3/16  | 34-3/4 | 14-7/8  | 44.40              |
| 3765-781X45 | 18X2  | 16-7/8   | 18-5/8   | 11-1/2 | 2-11/16 | 4.35               |
| 3765-783X45 | 18X3  | 18       | 20-1/4   | 13-3/4 | 3-15/16 | 6.60               |
| 3765-784X45 | 18X4  | 19       | 21-1/4   | 15-3/4 | 5       | 7.75               |
| 3765-786X45 | 18X6  | 19-15/16 | 23-3/16  | 20     | 7-3/16  | 12.77              |
| 3765-788X45 | 18X8  | 21-3/8   | 25-5/8   | 24     | 9-1/4   | 21.58              |
| 3765-790X45 | 18X10 | 22-7/16  | 27-11/16 | 28-1/4 | 11-1/2  | 32.34              |
| 3765-792X45 | 18X12 | 24-3/8   | 30-5/8   | 32-1/4 | 13-9/16 | 41.29              |
| 3765-794X45 | 18X14 | 24-5/8   | 31-5/8   | 34-3/4 | 14-7/8  | 56.20              |
| 3765-796X45 | 18X16 | 26-7/8   | 34-7/8   | 38-3/4 | 17      | 64.50              |
| 3765-811X45 | 20X2  | 18-1/4   | 20       | 11-1/2 | 2-11/16 | 4.41               |
| 3765-813X45 | 20X3  | 19-3/8   | 21-5/8   | 13-3/4 | 3-15/16 | 6.86               |
| 3765-814X45 | 20X4  | 20-3/8   | 22-5/8   | 15-3/4 | 5       | 9.40               |
| 3765-816X45 | 20X6  | 21-5/16  | 24-9/16  | 20     | 7-3/16  | 12.77              |
| 3765-818X45 | 20X8  | 22-3/4   | 27       | 24     | 9-1/4   | 20.81              |
| 3765-820X45 | 20X10 | 23-13/16 | 29-1/16  | 28-1/4 | 11-1/2  | 31.61              |
| 3765-822X45 | 20X12 | 25-3/4   | 32       | 32-1/4 | 13-9/16 | 46.12              |
| 3765-824X45 | 20X14 | 26       | 33       | 34-3/4 | 14-7/8  | 56.20              |
| 3765-826X45 | 20X16 | 28-1/4   | 36-1/4   | 38-3/4 | 17      | 65.63              |
| 3765-828X45 | 20X18 | 29-5/8   | 38-5/8   | 42-3/4 | 19-1/8  | 79.84              |
| 3765-901X45 | 24X2  | 21-1/8   | 22-7/8   | 11-1/2 | 2-11/16 | 6.08               |
| 3765-903X45 | 24X3  | 22-1/4   | 24-1/2   | 13-3/4 | 3-15/16 | 6.56               |
| 3765-904X45 | 24X4  | 23-1/4   | 25-1/2   | 15-3/4 | 5       | 10.35              |
| 3765-906X45 | 24X6  | 24-3/16  | 27-7/16  | 20     | 7-3/16  | 19.71              |
| 3765-908X45 | 24X8  | 25-5/8   | 29-7/8   | 24     | 9-1/4   | 26.54              |
| 3765-910X45 | 24X10 | 26-11/16 | 31-15/16 | 28-1/4 | 11-1/2  | 39.97              |
| 3765-912X45 | 24X12 | 28-5/8   | 34-7/8   | 32-1/4 | 13-9/16 | 59.80              |
| 3765-914X45 | 24X14 | 28-7/8   | 35-7/8   | 34-3/4 | 14-7/8  | 54.42              |
| 3765-916X45 | 24X16 | 31-1/8   | 39-1/8   | 38-3/4 | 17      | 86.28              |


**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**



**Wye Saddle, SCH 40**

IPS O. D. X Socket Schedule 40  
 Non-Pressure Rated


(Continued)



| Part Number | Size  | G1       | H1       | L      | M1      | Approx. Wt. (Lbs.) |
|-------------|-------|----------|----------|--------|---------|--------------------|
| 3765-918X45 | 24X18 | 32-1/2   | 41-1/2   | 42-3/4 | 19-1/8  | 106.29             |
| 3765-920X45 | 24X20 | 33-15/16 | 43-15/16 | 46-3/4 | 21-3/16 | 118.78             |

**Wye Saddle, SCH 80**

IPS O. D. X Socket Schedule 80  
 Non-Pressure Rated



| Part Number | Size  | G1       | H1       | L      | M1       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|----------|--------|----------|--------------------|
| 3965-420X45 | 4X2   | 8-15/16  | 10-11/16 | 11-1/2 | 2-13/16  | 1.87               |
| 3965-422X45 | 4X3   | 9-7/16   | 11-11/16 | 13-3/4 | 4-1/8    | 3.05               |
| 3965-528X45 | 6X2   | 9-13/16  | 11-9/16  | 11-1/2 | 2-13/16  | 2.43               |
| 3965-530X45 | 6X3   | 10-15/16 | 13-3/16  | 13-3/4 | 4-1/8    | 3.41               |
| 3965-532X45 | 6X4   | 11-3/16  | 13-7/16  | 15-3/4 | 5-3/16   | 4.51               |
| 3965-578X45 | 8X2   | 11-1/4   | 13       | 11-1/2 | 2-13/16  | 3.08               |
| 3965-580X45 | 8X3   | 12-3/8   | 14-5/8   | 13-3/4 | 4-1/8    | 3.85               |
| 3965-582X45 | 8X4   | 12-5/8   | 14-7/8   | 15-3/4 | 5-3/16   | 6.33               |
| 3965-585X45 | 8X6   | 14-11/16 | 17-15/16 | 20     | 7-1/2    | 9.25               |
| 3965-621X45 | 10X2  | 12-3/4   | 14-1/2   | 11-1/2 | 2-13/16  | 3.31               |
| 3965-623X45 | 10X3  | 13-7/8   | 16-1/8   | 13-3/4 | 4-1/8    | 5.61               |
| 3965-624X45 | 10X4  | 14-1/8   | 16-3/8   | 15-3/4 | 5-3/16   | 7.62               |
| 3965-626X45 | 10X6  | 16-3/16  | 19-7/16  | 20     | 7-1/2    | 12.24              |
| 3965-628X45 | 10X8  | 18-1/8   | 22-3/8   | 24     | 9-5/8    | 18.61              |
| 3965-661X45 | 12X2  | 14-1/8   | 15-7/8   | 11-1/2 | 2-13/16  | 3.77               |
| 3965-663X45 | 12X3  | 15-1/4   | 17-1/2   | 13-3/4 | 4-1/8    | 8.34               |
| 3965-664X45 | 12X4  | 15-1/2   | 17-3/4   | 15-3/4 | 5-3/16   | 8.59               |
| 3965-666X45 | 12X6  | 17-9/16  | 20-13/16 | 20     | 7-1/2    | 15.63              |
| 3965-668X45 | 12X8  | 19-1/2   | 23-3/4   | 24     | 9-5/8    | 23.11              |
| 3965-670X45 | 12X10 | 21-1/8   | 26-3/8   | 28-1/4 | 11-15/16 | 33.06              |
| 3965-691X45 | 14X2  | 15       | 16-3/4   | 11-1/2 | 2-13/16  | 3.77               |
| 3965-693X45 | 14X3  | 16-1/8   | 18-3/8   | 13-3/4 | 4-1/8    | 5.62               |
| 3965-694X45 | 14X4  | 16-3/8   | 18-5/8   | 15-3/4 | 5-3/16   | 8.59               |
| 3965-696X45 | 14X6  | 18-7/16  | 21-11/16 | 20     | 7-1/2    | 15.74              |
| 3965-698X45 | 14X8  | 20-3/8   | 24-5/8   | 24     | 9-5/8    | 23.11              |




**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**

**Wye Saddle, SCH 80**

(Continued)

IPS O. D. X Socket Schedule 80  
 Non-Pressure Rated



| Part Number | Size  | G1       | H1       | L      | M1       | Approx. Wt. (Lbs.) |
|-------------|-------|----------|----------|--------|----------|--------------------|
| 3965-700X45 | 14X10 | 22       | 27-1/4   | 28-1/4 | 11-15/16 | 33.06              |
| 3965-702X45 | 14X12 | 23-5/8   | 29-7/8   | 32-1/4 | 14-1/8   | 46.62              |
| 3965-751X45 | 16X2  | 16-7/16  | 18-3/16  | 11-1/2 | 2-13/16  | 4.72               |
| 3965-753X45 | 16X3  | 17-9/16  | 19-13/16 | 13-3/4 | 4-1/8    | 6.09               |
| 3965-754X45 | 16X4  | 17-13/16 | 20-1/16  | 15-3/4 | 5-3/16   | 9.03               |
| 3965-756X45 | 16X6  | 19-7/8   | 23-1/8   | 20     | 7-1/2    | 13.65              |
| 3965-758X45 | 16X8  | 21-13/16 | 26-1/16  | 24     | 9-5/8    | 21.50              |
| 3965-760X45 | 16X10 | 23-7/16  | 28-11/16 | 28-1/4 | 11-15/16 | 39.90              |
| 3965-762X45 | 16X12 | 25-1/16  | 31-5/16  | 32-1/4 | 14-1/8   | 52.04              |
| 3965-764X45 | 16X14 | 26-5/16  | 33-5/16  | 34-3/4 | 15-1/2   | 62.37              |
| 3965-781X45 | 18X2  | 17-7/8   | 19-5/8   | 11-1/2 | 2-13/16  | 4.68               |
| 3965-783X45 | 18X3  | 19       | 21-1/4   | 13-3/4 | 4-1/8    | 7.34               |
| 3965-784X45 | 18X4  | 19-1/4   | 21-1/2   | 15-3/4 | 5-3/16   | 9.47               |
| 3965-786X45 | 18X6  | 21-5/16  | 24-9/16  | 20     | 7-1/2    | 15.68              |
| 3965-788X45 | 18X8  | 23-1/4   | 27-1/2   | 24     | 9-5/8    | 26.77              |
| 3965-790X45 | 18X10 | 24-7/8   | 30-1/8   | 28-1/4 | 11-15/16 | 39.69              |
| 3965-792X45 | 18X12 | 26-1/2   | 32-3/4   | 32-1/4 | 14-1/8   | 58.13              |
| 3965-794X45 | 18X14 | 27-3/4   | 34-3/4   | 34-3/4 | 15-1/2   | 73.38              |
| 3965-796X45 | 18X16 | 28-3/4   | 36-3/4   | 38-3/4 | 17-11/16 | 91.18              |
| 3965-811X45 | 20X2  | 19-1/4   | 21       | 11-1/2 | 2-13/16  | 4.68               |
| 3965-813X45 | 20X3  | 20-3/8   | 22-5/8   | 13-3/4 | 4-1/8    | 7.34               |
| 3965-814X45 | 20X4  | 20-5/8   | 22-7/8   | 15-3/4 | 5-3/16   | 10.42              |
| 3965-816X45 | 20X6  | 22-11/16 | 25-15/16 | 20     | 7-1/2    | 18.06              |
| 3965-818X45 | 20X8  | 24-5/8   | 28-7/8   | 24     | 9-5/8    | 31.49              |
| 3965-820X45 | 20X10 | 26-1/4   | 31-1/2   | 28-1/4 | 11-15/16 | 39.69              |
| 3965-822X45 | 20X12 | 27-7/8   | 34-1/8   | 32-1/4 | 14-1/8   | 63.22              |
| 3965-824X45 | 20X14 | 29-1/8   | 36-1/8   | 34-3/4 | 15-1/2   | 74.22              |
| 3965-826X45 | 20X16 | 30-1/8   | 38-1/8   | 38-3/4 | 17-11/16 | 91.18              |
| 3965-828X45 | 20X18 | 32-1/8   | 41-1/8   | 42-3/4 | 19-7/8   | 119.80             |
| 3965-901X45 | 24X2  | 22-1/8   | 23-7/8   | 11-1/2 | 2-13/16  | 6.26               |
| 3965-903X45 | 24X3  | 23-1/4   | 25-1/2   | 13-3/4 | 4-1/8    | 6.91               |
| 3965-904X45 | 24X4  | 23-1/2   | 25-3/4   | 15-3/4 | 5-3/16   | 13.58              |
| 3965-906X45 | 24X6  | 25-9/16  | 28-13/16 | 20     | 7-1/2    | 19.49              |
| 3965-908X45 | 24X8  | 27-1/2   | 31-3/4   | 24     | 9-5/8    | 31.60              |
| 3965-910X45 | 24X10 | 29-1/8   | 34-3/8   | 28-1/4 | 11-15/16 | 47.58              |
| 3965-912X45 | 24X12 | 30-3/4   | 37       | 32-1/4 | 14-1/8   | 55.97              |
| 3965-914X45 | 24X14 | 32       | 39       | 34-3/4 | 15-1/2   | 71.59              |
| 3965-916X45 | 24X16 | 33       | 41       | 38-3/4 | 17-11/16 | 106.96             |
| 3965-918X45 | 24X18 | 35       | 44       | 42-3/4 | 19-7/8   | 137.16             |


**Fabricated Fittings Technical**  
**PVC Schedule 40 & 80 DWV Fabricated Fittings**



**Wye Saddle, SCH 80**


(Continued)

IPS O. D. X Socket Schedule 80  
 Non-Pressure Rated



| Part Number | Size  | G1       | H1       | L      | M1      | Approx. Wt. (Lbs.) |
|-------------|-------|----------|----------|--------|---------|--------------------|
| 3965-920X45 | 24X20 | 35-15/16 | 45-15/16 | 46-3/4 | 22-1/16 | 160.88             |

**P-Traps**



| Part Number | Size  | G      | G1       | G2      | H        | H1       | L        | M       | Approx. Wt. (Lbs.) |
|-------------|-------|--------|----------|---------|----------|----------|----------|---------|--------------------|
| 3906-012PT  | 1-1/4 | 4-5/8  | 3-5/8    | 1       | 3-5/8    | 5-3/4    | 7        | 2-1/8   | .92                |
| 3906-015PT  | 1-1/2 | 5-3/16 | 4        | 1-3/16  | 4        | 6-3/8    | 7-3/4    | 2-11/32 | 1.18               |
| 3906-020PT  | 2     | 6-1/8  | 4-11/16  | 1-7/16  | 4-11/16  | 7-9/16   | 9-1/16   | 2-15/16 | 1.80               |
| 3906-030PT  | 3     | 8-1/4  | 6-1/8    | 1-1/16  | 6-3/8    | 10-1/4   | 12-3/16  | 4-3/16  | 4.96               |
| 3906-040PT  | 4     | 10-1/4 | 7-5/8    | 2-5/8   | 7-15/16  | 12-7/8   | 15-1/8   | 5-1/4   | 8.50               |
| 3906-060PT  | 6     | 17-1/2 | 13-15/16 | 3-13/16 | 13-11/16 | 17-3/4   | 20-1/2   | 7-5/8   | 28.01              |
| 3906-080PT  | 8     | 22-1/2 | 17-15/16 | 4-13/16 | 17-11/16 | 22-13/16 | 26-1/2   | 9-11/16 | 53.52              |
| 3906-100PT  | 10    | 27-3/4 | 22-1/8   | 5-7/8   | 21-7/8   | 28-3/16  | 32-13/16 | 12-1/16 | 100.63             |
| 3906-120PT  | 12    | 33-1/8 | 26-3/8   | 7       | 26-1/8   | 33-1/2   | 39-3/16  | 14-1/4  | 165.06             |