



PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



ENGINEERING GUIDE


Contact Spears® for any Information not found.

Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Tee SCH 40


Socket x Socket x Socket



Part Number	Size	G	G1	H	H1	L	M	Approx. Wt. (Lbs.)
3701-060	6	6-3/16	6-3/16	9-7/16	9-7/16	18-7/8	7-3/16	7.64
3701-080	8	7-5/16	7-5/16	11-9/16	11-9/16	23-1/8	9-1/4	15.87
3701-100	10	9	8-3/8	14-1/4	13-5/8	28-1/2	11-1/2	24.48
3701-120	12	11-1/4	10-3/16	17-1/2	16-7/16	35	13-9/16	38.09
3701-140	14	11	11	18	18	36	14-7/8	51.92
3701-160	16	12-7/8	12-7/8	20-7/8	20-7/8	41-3/4	17	72.28
3701-180	18	13-3/8	13-3/8	22-3/8	22-3/8	44-3/4	19-1/8	104.64
3701-200	20	15-1/2	15-7/16	25-1/2	25-7/16	51	21-3/16	139.78
3701-240	24	17-1/2	17-1/2	29-1/2	29-1/2	59	25-3/8	208.08

Tee SCH 40- Reducer

Socket X Socket X Socket



Part Number	Size	G	G1	H	H1	L	M	M1	Approx. Wt. (Lbs.)
3701-528	6X2	3-3/8	5-5/16	6-5/8	7-1/16	13-1/4	7-3/16	2-11/16	4.29
3701-530	6X3	4-5/8	6-1/16	7-7/8	8-5/16	15-3/4	7-3/16	3-15/16	5.50
3701-532	6X4	5-1/8	6-3/8	8-3/8	8-5/8	16-3/4	7-3/16	5	5.76
3701-578	8X2	4-1/16	6-1/4	8-5/16	8	16-5/8	9-1/4	2-11/16	8.10
3701-580	8X3	4-9/16	7	8-13/16	9-1/4	17-5/8	9-1/4	3-15/16	10.14
3701-582	8X4	5-1/16	7-5/16	9-5/16	9-9/16	18-5/8	9-1/4	5	8.98
3701-585	8X6	6-3/16	7-3/8	10-7/16	10-5/8	20-7/8	9-1/4	7-3/16	10.87
3701-621	10X2	4-3/8	7-1/4	9-5/8	9	19-1/4	11-1/2	2-11/16	12.85
3701-623	10X3	4-7/8	8	10-1/8	10-1/4	20-1/4	11-1/2	3-15/16	14.52
3701-624	10X4	5-3/8	8-5/16	10-5/8	10-9/16	21-1/4	11-1/2	5	14.24
3701-626	10X6	5-7/8	8-3/8	11-1/8	11-5/8	22-1/4	11-1/2	7-1/4	16.30
3701-628	10X8	6-3/4	8-5/16	12	12-9/16	24	11-1/2	9-1/4	21.87
3701-661	12X2	4-3/4	8-1/4	11	10	22	13-9/16	2-11/16	19.36
3701-663	12X3	5-1/4	9	11-1/2	11-1/4	23	13-9/16	3-15/16	20.60




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Tee SCH 40- Reducer

Socket X Socket X Socket

(Continued)



Part Number	Size	G	G1	H	H1	L	M	M1	Approx. Wt. (Lbs.)
3701-664	12X4	5-3/4	9-5/16	12	11-9/16	24	13-9/16	5	21.74
3701-666	12X6	7	9-3/8	13-1/4	12-5/8	26-1/2	13-9/16	7-3/16	25.07
3701-668	12X8	8	9-5/16	14-1/4	13-9/16	28-1/2	13-9/16	9-1/4	28.83
3701-670	12X10	10-1/4	10-3/8	16-1/2	15-5/8	33	13-9/16	11-1/2	35.28
3701-691	14X2	4-3/8	8-13/16	11-3/8	10-9/16	22-3/4	14-7/8	2-11/16	25.16
3701-693	14X3	4-7/8	9-9/16	11-7/8	9-9/16	23-3/4	14-7/8	3-15/16	26.67
3701-694	14X4	5-3/8	9-7/8	12-3/8	12-1/8	24-3/4	14-7/8	5	28.02
3701-696	14X6	6-3/8	9-15/16	13-3/8	13-3/16	26-3/4	14-7/8	7-3/16	30.94
3701-698	14X8	7-3/8	9-7/8	14-3/8	14-1/18	28-3/4	14-7/8	9-1/4	35.12
3701-700	14X10	8-1/2	10-15/16	15-1/2	16-3/16	31	14-7/8	11-1/2	40.54
3701-702	14X12	9-1/2	10-3/4	16-1/2	17	33	14-7/8	13-9/16	45.46
3701-751	16X2	4-9/16	9-3/4	12-9/16	11-1/2	25-1/8	17	2-11/16	35.81
3701-753	16X3	5-1/8	10-1/2	13-1/8	12-3/4	26-1/4	17	3-15/16	38.79
3701-754	16X4	5-5/8	10-13/16	13-5/8	13-1/16	27-1/4	17	5	39.09
3701-756	16X6	6-3/4	10-7/8	14-3/4	14-1/8	29-1/2	17	7-3/16	43.88
3701-758	16X8	7-3/4	10-13/16	15-3/4	15-1/16	31-1/2	17	9-1/4	48.61
3701-760	16X10	8-3/4	11-7/8	16-3/4	17-1/8	33-1/2	17	11-1/2	52.11
3701-762	16X12	9-3/4	11-11/16	17-3/4	17-15/16	35-1/2	17	13-9/16	57.70
3701-764	16X14	10-3/8	11-15/16	18-3/8	18-15/16	36-3/4	17	14-7/8	62.36
3701-784	18X4	6-3/8	11-3/4	15-3/8	14	30-3/4	19-1/8	5	57.62
3701-786	18X6	7-3/8	11-13/16	16-3/8	15-1/16	32-3/4	19-1/8	7-3/16	62.55
3701-788	18X8	8-3/8	11-3/4	17-3/8	16	34-3/4	19-1/8	9-1/4	67.44
3701-790	18X10	9-1/2	12-13/16	18-1/2	18-1/16	37	19-1/8	11-1/2	73.18
3701-792	18X12	10-1/2	12-5/8	19-1/2	18-7/8	39	19-1/8	13-9/16	79.45
3701-794	18X14	11-1/8	12-7/8	20-1/8	19-7/8	40-1/4	19-1/8	14-7/8	84.51
3701-796	18X16	12-1/8	13-13/16	21-1/8	21-13/16	42-1/4	19-1/8	17	93.86
3701-814	20X4	6-1/8	12-3/4	16-1/8	15	32-1/4	21-3/16	5	67.95
3701-816	20X6	7-1/4	12-13/16	17-1/4	16-1/16	34-1/2	21-3/16	7-3/16	72.74
3701-818	20X8	8-1/4	12-3/4	18-1/4	17	36-1/2	21-3/16	9-1/4	78.78
3701-820	20X10	9-1/4	13-13/16	19-1/4	19-1/16	38-1/2	21-3/16	11-1/2	85.02
3701-822	20X12	10-1/4	13-5/8	20-1/4	19-7/8	40-1/2	21-3/16	13-9/16	95.74
3701-824	20X14	10-7/8	13-7/8	20-7/8	20-7/8	41-3/4	21-3/16	14-7/8	99.08
3701-826	20X16	11-7/8	14-13/16	21-7/8	22-13/16	43-3/4	21-3/16	17	108.94
3701-828	20X18	12-7/8	14-3/8	22-7/8	23-3/8	45-3/4	21-3/16	19-1/8	120.23
3701-904	24X4	7-3/8	14-5/8	19-3/8	16-7/8	38-3/4	25-3/8	5	111.49
3701-906	24X6	8-3/8	14-11/16	20-3/8	17-15/16	40-3/4	25-3/8	7-3/16	122.45
3701-908	24X8	9-3/8	14-5/8	21-3/8	18-7/8	42-3/4	25-3/8	9-1/4	130.16
3701-910	24X10	10-1/2	15-11/16	22-1/2	20-15/16	45	25-3/8	11-1/2	138.07
3701-912	24X12	11-1/2	15-1/2	23-1/2	21-3/4	47	25-3/8	13-9/16	146.52


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Tee SCH 40- Reducer

Socket X Socket X Socket


(Continued)



Part Number	Size	G	G1	H	H1	L	M	M1	Approx. Wt. (Lbs.)
3701-914	24X14	12-1/8	15-3/4	24-1/8	22-3/4	48-1/4	25-3/8	14-7/8	152.67
3701-916	24X16	13-1/8	16-11/16	25-1/8	24-11/16	50-1/4	25-3/8	17	164.20
3701-918	24X18	14-1/8	16-1/4	26-1/8	25-1/4	52-1/4	25-3/8	19-1/8	177.16
3701-920	24X20	15-1/8	17-5/16	27-1/8	27-5/16	54-1/4	25-3/8	21-3/16	190.51

Tee SCH 80

Socket x Socket x Socket




Part Number	Size	G	G1	H	H1	L	M	Approx. Wt. (Lbs.)
3901-060	6	6-1/4	6-1/4	9-1/2	9-1/2	19	7-1/2	12.70
3901-080	8	7-5/8	7-5/8	11-7/8	11-7/8	23-3/4	9-5/8	24.14
3901-100	10	9	9	14-1/4	14-1/4	28-1/2	11-15/16	41.15
3901-120	12	11-1/4	11-1/4	17-1/2	17-1/2	35	14-1/8	70.98
3901-140	14	12-1/4	12-1/4	19-1/4	19-1/4	38-1/2	15-1/2	90.74
3901-160	16	13	13	21	21	42	17-11/16	120.59
3901-180	18	13-3/4	13-3/4	22-3/4	22-3/4	45-1/2	19-7/8	170.14
3901-200	20	16-3/8	16-3/8	26-3/8	26-3/8	52-3/4	22-1/16	253.11
3901-240	24	20-1/4	20-1/4	32-1/4	32-1/4	64-1/2	26-7/16	441.60



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Tee SCH 80-Reducer

Socket X Socket X Socket



Part Number	Size	G	G1	H	H1	L	M	M1	Approx. Wt. (Lbs.)
3901-528	6X2	4-5/8	5-3/16	7-7/8	6-15/16	15-3/4	7- 1/2	2-13/16	8.52
3901-530	6X3	4-3/4	5-3/4	8	8	16	7-1/2	4-1/8	8.92
3901-532	6X4	5-1/4	6-3/4	8-1/2	9	17	7-1/2	5-3/16	9.59
3901-578	8X2	4-11/16	6-1/8	8-15/16	7-7/8	17-7/8	9- 5/8	2-13/16	12.88
3901-580	8X3	5-3/16	6-11/16	9-7/16	8-15/16	18-7/8	9- 5/8	4-1/8	14.42
3901-582	8X4	5-3/4	7-11/16	10	9-15/16	20	9-5/8	5-3/16	16.57
3901-585	8X6	6- 3/4	8-1/16	11	11-5/16	22	9- 5/8	7- 1/2	19.60
3901-621	10X2	4-3/8	7-1/8	9-5/8	8-7/8	19-1/4	11-15/16	2-13/16	22.37
3901-623	10X3	4-7/8	7-11/16	10-1/8	9-15/16	20-1/4	11-15/16	4-1/8	22.99
3901-624	10X4	5-3/8	8-11/16	10-5/8	10-15/16	21-1/4	11-15/16	5-3/16	25.31
3901-626	10X6	5-7/8	9-1/16	11-1/8	12-5/16	22-1/4	11-15/16	7-1/2	28.42
3901-628	10X8	8- 1/4	9-15/16	13- 1/2	14-3/16	27	11-15/16	9- 5/8	35.90
3901-661	12X2	4-3/4	8	11	9-3/4	22	14- 1/8	2-13/16	35.17
3901-663	12X3	5-1/4	8-9/16	11-1/2	10-13/16	23	14-1/8	4-1/8	37.02
3901-664	12X4	5-3/4	9-9/16	12	11-13/16	24	14-1/8	5-3/16	39.32
3901-666	12X6	7-1/4	9-15/16	13-1/4	13-3/16	26-1/2	14-1/8	7- 1/2	45.74
3901-668	12X8	8	10-13/16	14-1/4	15-1/16	28-1/2	14-1/8	9- 5/8	52.00
3901-670	12X10	10-1/4	10-13/16	16-1/2	16-1/16	33	14- 1/8	11-15/16	62.01
3901-691	14X2	5-3/16	8-9/16	12-3/16	10-5/16	24-3/8	15-1/2	2-13/16	44.81
3901-693	14X3	5-3/4	9-1/8	12-3/4	11-3/8	25-1/2	15-1/2	4-1/8	45.79
3901-694	14X4	6-1/2	10-1/8	13-1/2	12-3/8	27	15-1/2	5-3/16	49.50
3901-696	14X6	8- 1/4	10-1/2	15- 1/4	13-3/4	30- 1/2	15- 1/2	7- 1/2	56.33
3901-698	14X8	9- 1/4	11-3/8	16- 1/4	15-5/8	32- 1/2	15- 1/2	9-3/8	63.19
3901-700	14X10	10-1/8	11-3/8	17-1/8	16-5/8	34-1/4	15-1/2	11-15/16	70.63
3901-702	14X12	11	11-3/8	18	17-5/8	36	15- 1/2	14- 1/8	80.08
3901-751	16X2	5-7/8	9-1/2	13-7/8	11-1/4	27-3/4	17-11/16	2-13/16	63.28
3901-753	16X3	6-5/16	10-1/16	14-5/16	12-5/16	28-5/8	17-11/16	4-1/8	64.31
3901-754	16X4	6-1/8	11-1/16	14-1/8	13-5/16	28-1/4	17-11/16	5-3/16	64.55
3901-756	16X6	8-5/8	11-7/16	16-5/8	14-11/16	33-1/4	17-11/16	7-1/2	77.70
3901-758	16X8	9-5/8	12-5/16	17-5/8	16-9/16	35-1/4	17-11/16	9-5/8	85.11
3901-760	16X10	10-5/8	12-5/16	18-5/8	17-9/16	37-1/4	17-11/16	11-15/16	93.59
3901-762	16X12	11- 5/8	12-5/16	19- 5/8	18-9/16	39- 1/4	17-11/16	14- 1/8	103.31
3901-764	16X14	12- 3/4	12-11/16	20- 3/4	19-11/16	41- 1/2	17-11/16	15- 1/2	116.38
3901-784	18X4	6-7/8	11-15/16	15-7/8	14-3/16	31-3/4	19-7/8	5-3/16	96.69
3901-786	18X6	8-1/2	12-5/16	17-1/2	15-9/16	35	19-7/8	7-1/2	107.16
3901-788	18X8	9-1/2	13-3/16	18-1/2	17-7/16	37	19-7/8	9-5/8	110.40
3901-790	18X10	10-1/2	13-3/16	19-1/2	18-7/16	39	19-7/8	11-15/16	119.95
3901-792	18X12	11-1/2	13-3/16	20-1/2	19-7/16	41	19-7/8	14-1/8	130.75
3901-794	18X14	12-3/4	13-9/16	21-3/4	20-9/16	43-1/2	19-7/8	15-1/2	151.68


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Tee SCH 80-Reducer

Socket X Socket X Socket


(Continued)



Part Number	Size	G	G1	H	H1	L	M	M1	Approx. Wt. (Lbs.)
3901-796	18X16	13-1/2	14-3/16	22-1/2	22-3/16	45	19-7/8	17-11/16	163.17
3901-814	20X4	7-11/16	12-7/8	17-11/16	15-1/8	35-3/8	22-1/16	5-3/16	123.16
3901-816	20X6	8-7/8	13-1/4	18-7/8	16-1/2	37-3/4	22-1/16	7-1/2	133.48
3901-818	20X8	9-7/8	14-1/8	19-7/8	18-3/8	39-3/4	22-1/16	9-5/8	148.71
3901-820	20X10	10-7/8	14-1/8	20-7/8	19-3/8	41-3/4	22-1/16	11-15/16	157.48
3901-822	20X12	11-7/8	14-1/8	21-7/8	20-3/8	43-3/4	22-1/16	14-1/8	171.00
3901-824	20X14	12-7/8	14-1/2	22-7/8	21-1/2	45-3/4	22-1/16	15-1/2	182.95
3901-826	20X16	14	15-1/8	24	23-1/8	48	22-1/16	17-11/16	206.24
3901-828	20X18	15	15	25	24	50	22-1/16	19-7/8	218.37
3901-904	24X4	9	14-11/16	21	16-15/16	42	26-7/16	5-3/16	220.00
3901-906	24X6	9-1/4	15-1/16	21-1/4	18-5/16	42-1/2	26-7/16	7-1/2	222.11
3901-908	24X8	10-1/4	15-15/16	22-1/4	20-3/16	44-1/2	26-7/16	9-5/8	235.18
3901-910	24X10	11-1/4	15-15/16	23-1/4	21-3/16	46-1/2	26-7/16	11-15/16	236.36
3901-912	24X12	12-1/4	15-15/16	24-1/4	22-3/16	48-1/2	26-7/16	14-1/8	269.72
3901-914	24X14	13-1/4	16-5/16	25-1/4	23-5/16	50-1/2	26-7/16	15-1/2	285.14
3901-916	24X16	14-3/4	16-15/16	26-3/4	24-15/16	53-1/2	26-7/16	17-11/16	308.40
3901-918	24X18	15-3/4	16-13/16	27-3/4	25-13/16	55-1/2	26-7/16	19-7/8	331.03
3901-920	24X20	16-3/4	18-3/16	28-3/4	28-3/16	57-1/2	26-7/16	22-1/16	361.00

90° Elbow SCH 40

Socket x Socket



Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
3706-060	6	6-5/16	9-9/16	7-3/16	5.60
3706-080	8	7-11/16	11-15/16	9-1/4	12.89
3706-100	10	9-13/16	15-1/6	11-1/2	17.51
3706-120	12	11-3/16	17-7/16	13-9/16	30.66
3706-140	14	13-3/16	20-3/16	14-7/8	41.54




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

90° Elbow SCH 40

(Continued)


Socket x Socket



Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
3706-160	16	15-1/4	23-1/4	17	59.37
3706-180	18	17-5/16	26-5/16	19-1/8	82.00
3706-200	20	19-13/16	29-13/16	21-3/16	118.12
3706-240	24	23-7/16	35-7/16	25-3/8	172.90

90° Elbow SCH 80

Socket x Socket




Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
3906-060	6	6-7/16	9-11/16	7-1/2	10.28
3906-080	8	7-7/8	12-1/8	9-5/8	19.17
3906-100	10	10	15-1/4	11-15/16	30.83
3906-120	12	11-1/2	17-3/4	14-1/8	45.85
3906-140	14	13-1/2	20-1/2	15-1/2	63.10
3906-160	16	15-9/16	23-9/16	17-11/16	103.88
3906-180	18	17-11/16	26-11/16	19-7/8	164.83
3906-200	20	19-13/16	29-13/16	22-1/16	193.41
3906-240	24	24	36	26-7/16	324.00

Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



11-1/4° Elbow SCH 40


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3711-040	4	3	3/4	5	1.39
3711-060	6	4- 1/4	1	7- 3/16	2.95
3711-080	8	5-5/16	1-1/16	9-1/4	4.84
3711-100	10	6-11/16	1-7/16	11-1/2	9.41
3711-120	12	7-13/16	1-9/16	13-9/16	14.09
3711-140	14	9	2	14-7/8	20.77
3711-160	16	10-3/8	2-3/8	16-3/4	28.88
3711-180	18	11-11/16	2-11/16	19-1/8	42.88
3711-200	20	13-1/16	3-1/16	21-3/16	55.12
3711-240	24	15-3/4	3-3/4	25-3/8	95.34

11-1/4° Elbow SCH 80

Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3911-040	4	3	3/4	5-3/16	1.65
3911-060	6	4-1/4	1	7-1/2	4.67
3911-080	8	5-3/8	1-1/8	9-5/8	6.56
3911-100	10	6-11/16	1-7/16	11-15/16	15.43
3911-120	12	7-13/16	1-9/16	14-1/8	24.62
3911-140	14	9	2	15-1/2	33.00
3911-160	16	10- 3/8	2- 3/8	17-11/16	48.75
3911-180	18	11-3/4	2-3/4	19-7/8	72.67
3911-200	20	13-1/8	3-1/8	22-1/16	99.19




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

11-1/4° Elbow SCH 80

(Continued)


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3911-240	24	15-13/16	3-13/16	26-7/16	169.84

15° Elbow SCH 40

Socket x Socket




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3718-040	4	3-1/16	13/16	5	1.36
3718-060	6	4-3/8	1-1/8	7-3/16	2.66
3718-080	8	5-1/2	1-1/4	9-1/4	5.95
3718-100	10	6-7/8	1-5/8	11-1/2	9.41
3718-120	12	8	1-3/4	13-9/16	14.09
3718-140	14	9-1/4	2-1/4	14-7/8	20.77
3718-160	16	10-5/8	2-5/8	17	30.20
3718-180	18	12	3	19-1/8	44.60
3718-200	20	13-7/16	3-7/16	21-3/16	57.09
3718-240	24	16-3/16	4-3/16	25-3/8	98.14

Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



15° Elbow SCH 80


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3918-040	4	3-1/8	7/8	5-3/16	1.89
3918-060	6	4-3/8	1-1/8	7- 1/2	4.67
3918-080	8	5-1/2	1-1/4	9-5/8	9.23
3918-100	10	6-15/16	1-11/16	11-15/16	15.43
3918-120	12	8-1/16	1-13/16	14-1/8	26.07
3918-140	14	9-5/16	2-5/16	15-1/2	32.99
3918-160	16	10-11/16	2-11/16	17-11/16	48.75
3918-180	18	12-1/16	3-1/16	19-7/8	72.67
3918-200	20	13-1/2	3-1/2	22-1/16	99.19
3918-240	24	16-1/4	4-1/4	26-7/16	169.84

22-1/2° Elbow SCH 40

Socket xSocket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3716-040	4	3-1/4	1	5	1.36
3716-060	6	4- 5/8	1- 3/8	7- 3/16	3.24
3716-080	8	5-13/16	1-9/16	9- 1/4	5.72
3716-100	10	7-5/16	2-1/16	11-1/2	10.04
3716-120	12	8-1/2	2-1/4	13-9/16	14.91
3716-140	14	9-3/4	2-3/4	14-7/8	20.77
3716-160	16	11-1/4	3-1/4	17	30.96
3716-180	18	12-11/16	3-11/16	19-1/8	46.31
3716-200	20	14-1/8	4-1/8	21- 3/16	59.06




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

22-1/2° Elbow SCH 40

(Continued)


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3716-240	24	17-1/16	5-1/16	25-3/8	100.95

22-1/2° Elbow SCH 80

Socket x Socket




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3916-040	4	3-1/4	1	5-3/16	1.89
3916-060	6	4-5/8	1-3/8	7- 1/2	5.14
3916-080	8	5-7/8	1-5/8	9- 5/8	7.06
3916-100	10	7-5/16	2-1/6	11-15/16	20.59
3916-120	12	8-9/16	2-5/16	14- 1/8	27.52
3916-140	14	9-13/16	2-13/16	15-1/2	34.64
3916-160	16	11-5/16	3-5/16	17-11/16	52.97
3916-180	18	12-3/4	3-3/4	19-7/8	74.44
3916-200	20	14-1/4	4-1/4	22-1/16	106.03
3916-240	24	17-3/16	5-3/16	26-7/16	189.95

Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



22-1/2° Street Ell SCH 40


Spigot x Socket



Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
3742-060	6	6-3/4	3-1/8	2-3/4	1/8	7-3/16	2.59
3742-080	8	8-11/16	3-1/2	3-11/16	3/4	9-1/4	6.94
3742-100	10	10-5/8	4-7/16	4-5/8	13/16	11-1/2	10.67
3742-120	12	12-1/4	5-3/16	5-1/4	1-1/16	13-9/16	15.74
3742-140	14	14-9/16	5-9/16	6-9/16	1-7/16	14-7/8	21.69
3742-160	16	16-7/8	6-1/16	7-7/8	1-15/16	17	32.82
3742-180	18	18-3/16	12-11/16	8-3/16	3-11/16	19-1/8	63.47
3742-200	20	20-1/8	14-1/8	9-1/8	4-1/8	21-3/16	80.72
3742-240	24	24-1/16	17-1/16	11-1/16	5-1/16	25-3/8	137.41

22-1/2° Street Ell SCH 80

Spigot x Socket




Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
3942-060	6	6-5/8	3-5/16	2-5/8	1/16	7-1/2	5.14
3942-080	8	8-11/16	3-9/16	3-11/16	11/16	9-5/8	9.94
3942-100	10	11-5/8	4-5/8	4-5/8	5/8	11-15/16	17.48
3942-120	12	11-15/16	5-3/4	5-15/16	1/2	14-1/8	27.52
3942-140	14	14-1/16	6-5/16	6-1/16	11/16	15-1/2	36.29
3942-160	16	17-1/4	5-15/16	8-1/4	2-1/16	17-11/16	46.25
3942-180	18	18-1/4	12-3/4	8-1/4	3-3/4	19-7/8	106.22
3942-200	20	20-1/4	14-1/4	9-1/4	4-1/4	22-1/16	143.66
3942-240	24	24-3/16	17-3/16	11-3/16	5-3/16	26-7/16	247.49



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

30° Elbow SCH 40


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3715-040	4	3-7/16	1-3/16	5	1.53
3715-060	6	4-7/8	1-5/8	7-3/16	3.20
3715-080	8	6-1/8	1-7/8	9- 1/4	5.39
3715-100	10	7-11/16	2-7/16	11-1/2	10.66
3715-120	12	9	2- 3/4	13- 9/16	16.57
3715-140	14	10-5/16	3-5/16	14- 7/8	23.88
3715-160	16	11-13/16	3-13/16	17	34.14
3715-180	18	13-3/8	4-3/8	19-1/8	49.74
3715-200	20	14-15/16	4-15/16	21-3/16	63.00
3715-240	24	18	6	25-3/8	109.36

30° Elbow SCH 80

Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3915-040	4	3-7/16	1-3/16	5- 3/16	2.13
3915-060	6	4-7/8	1-5/8	7-1/2	5.61
3915-080	8	6-3/16	1-15/16	9- 5/8	10.65
3915-100	10	7-3/4	2-1/2	11-15/16	18.51
3915-120	12	9-1/16	2-13/16	14-1/8	28.97
3915-140	14	10-7/16	3-7/16	15-1/2	37.94
3915-160	16	11-15/16	3-15/16	17-11/16	61.48
3915-180	18	13-1/2	4-1/2	19-7/8	83.85
3915-200	20	15	5	22-1/16	112.87


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



30° Elbow SCH 80

(Continued)


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3915-240	24	18-1/8	6-1/8	26-7/16	191.00

45° Elbow SCH 40

Socket x Socket




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3717-060	6	5-7/16	2-3/16	7- 3/16	3.47
3717-080	8	6-7/8	2-5/8	9-1/4	7.44
3717-100	10	8-9/16	3-5/16	11- 1/2	10.33
3717-120	12	10	3- 3/4	13- 9/16	15.96
3717-140	14	11-7/16	4-7/16	14-7/8	25.96
3717-160	16	13-1/8	5-1/8	17	34.85
3717-180	18	14-7/8	5-7/8	19-1/8	54.89
3717-200	20	16-9/16	6-9/16	21- 3/16	68.90
3717-240	24	19-15/16	7-15/16	25-3/8	117.78



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

45° Elbow SCH 80


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3917-060	6	5- 1/2	2- 1/4	7- 1/2	4.95
3917-080	8	6-15/16	2-11/16	9- 5/8	11.42
3917-100	10	8-11/16	3-7/16	11-15/16	17.37
3917-120	12	10-1/8	3-7/8	14- 1/8	31.86
3917-140	14	11-9/16	4-9/16	15-1/2	41.24
3917-160	16	13-5/16	5-5/16	17-11/16	61.48
3917-180	18	15	6	19-7/8	87.73
3917-200	20	16-3/4	6-3/4	22- 1/16	112.97
3917-240	24	20-3/16	8-3/16	26- 7/16	208.66

60° Elbow SCH 40

Socket x Socket




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3724-060	6	6-1/16	2-13/16	7-3/16	3.54
3724-080	8	7-5/8	3-3/8	9-1/4	6.60
3724-100	10	9-9/16	4-5/16	11-1/2	11.60
3724-120	12	11-3/16	4-15/16	13-9/16	17.46
3724-140	14	12-3/4	5-3/4	14-7/8	28.03
3724-160	16	16-5/8	6-5/8	17	36.38
3724-180	18	16-9/16	7-9/16	19-1/8	60.04
3724-200	20	23-11/16	13-11/16	22-1/16	106.31
3724-240	24	28-3/8	16-3/8	25-3/8	122.08

Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



60° Elbow SCH 80


Socket x Socket



Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
3924-060	6	6-1/8	2-7/8	7-1/2	5.85
3924-080	8	7-3/4	3-1/2	9- 5/8	18.81
3924-100	10	9-11/16	4-7/16	11-15/16	21.60
3924-120	12	11-5/16	5-1/16	14-1/8	34.76
3924-140	14	12-15/16	5-15/16	15-1/2	41.18
3924-160	16	14-13/16	6-13/16	17-11/16	65.72
3924-180	18	16-3/4	7-3/4	19-7/8	97.83
3924-200	20	23-11/16	13-11/16	22-1/16	232.59
3924-240	24	28-11/16	16-11/16	26-7/16	325.13

90° Street El SCH 40

Spigot x Socket




Part Number	Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)
3709-040	4	7-7/16	5-15/16	10-7/16	8-3/16	5	4.08
3709-060	6	6-1/8	6-1/8	9-3/8	9-3/8	7-3/16	5.60
3709-080	8	7-1/2	7-1/2	11-3/4	11-3/4	9-1/4	10.02
3709-100	10	9-9/16	9-9/16	14-13/16	14-13/16	11-1/2	20.09
3709-120	12	10-15/16	10-15/16	17-3/16	17-3/16	13-9/16	30.66
3709-140	14	12-15/16	12-15/16	19-15/16	19-15/16	14-7/8	44.65
3709-160	16	19-1/4	15-1/4	28-1/4	23-1/4	17	74.84
3709-180	18	21-13/16	17-5/16	31-13/16	26-5/16	19-1/8	115.96
3709-200	20	24-3/8	19-3/8	35-3/8	29-3/8	21-3/16	139.78
3709-240	24	29-7/16	23-7/16	42-7/16	35-7/16	25-3/8	238.36



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

90° Street Ell SCH 80


Spigot x Socket



Part Number	Size	G	G1	H	H1	M1	Approx. Wt. (Lbs.)
3909-040	4	4-7/8	4-5/8	7-3/8	6-7/8	5-1/4	4.29
3909-060	6	6-1/8	6-1/8	9-3/8	9-3/8	7-1/2	12.11
3909-080	8	7-5/8	7-7/16	11-7/8	11-11/16	9-5/8	18.17
3909-100	10	9-9/16	9-5/8	14-13/16	14-7/8	11-15/16	33.94
3909-120	12	11-1/8	10-7/8	17-3/8	17-1/8	14-1/8	55.04
3909-140	14	13-1/2	13-1/2	20-1/2	20-1/2	15-1/2	70.94
3909-160	16	19-9/16	15-9/16	28-9/16	23-9/16	17-11/16	122.96
3909-180	18	22-3/16	17-11/16	32-3/16	26-11/16	19-7/8	181.69
3909-200	20	24-13/16	19-13/16	35-13/16	29-13/16	22-1/16	233.25
3909-240	24	30	24	43	36	26-7/16	422.19

45° Street Ell SCH 40

Spigot x Socket



Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
3727-040	4	6-1/16	3-13/16	3-1/16	1-9/16	5	2.03
3727-060	6	5-5/16	5-5/16	2-1/16	2-1/16	7-3/16	3.14
3727-080	8	6-3/4	6-3/4	2-1/2	2-1/2	9-1/4	5.72
3727-100	10	8-1/2	8-1/2	3-1/4	3-1/4	11-1/2	11.92
3727-120	12	10	10	3-3/4	3-3/4	13-9/16	16.29
3727-140	14	11-7/16	11-7/16	4-7/16	4-7/16	14-7/8	22.00
3727-160	16	18-1/8	13-1/8	9-1/8	5-1/8	17	44.00
3727-180	18	20-3/8	14-7/8	10-3/8	5-7/8	19-1/8	66.00
3727-200	20	22-9/16	16-9/16	11-9/16	6-9/16	21-3/16	84.00


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



45° Street Ell SCH 40

(Continued)


Spigot x Socket



Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
3727-240	24	26-15/16	19-15/16	13-15/16	7-15/16	25-3/8	154.23

45° Street Ell SCH 80

Spigot x Socket




Part Number	Size	H	H1	J	J1	M1	Approx. Wt. (Lbs.)
3927-040	4	4-11/16	4-11/16	2-3/16	1-1/16	5-1/4	2.64
3927-060	6	5-3/8	5-3/8	2-1/8	2-1/8	7-1/2	7.01
3927-080	8	6-7/8	6-11/16	2-5/8	2-7/16	9-5/8	9.49
3927-100	10	8-7/16	8-9/16	3-3/16	3-5/16	11-15/16	19.54
3927-120	12	10-1/16	9-13/16	3-13/16	3-9/16	14-1/8	31.86
3927-140	14	11-9/16	11-9/16	4-9/16	4-9/16	15-1/2	41.24
3927-160	16	18-5/16	13-5/16	9-5/16	5-5/16	17-11/16	80.56
3927-180	18	20-1/2	15	10-1/2	6	19-7/8	117.40
3927-200	20	22-3/4	16-3/4	11-3/4	6-3/4	22-1/16	156.52
3927-240	24	27-3/16	20-3/16	14-3/16	8-3/16	26-7/16	271.75



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Coupling SCH 40


Socket x Socket



Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
3729-040	4	6-3/8	5	1-7/8	1.18
3729-060	6	8	7-3/16	1-1/2	2.64
3729-080	8	10	9-1/4	1-1/2	5.33
3729-100	10	12-3/8	11-1/2	1-7/8	8.39
3729-120	12	14-3/4	13-9/16	2-1/4	13.26
3729-140	14	16-1/4	14-7/8	2-1/4	17.65
3729-160	16	18-5/8	17	2-5/8	27.00
3729-180	18	21-3/4	19-1/8	3-3/4	39.45
3729-200	20	24	21-3/16	4	51.18
3729-240	24	29-1/4	25-3/8	5-1/4	82.20

Coupling SCH 80

Socket x Socket



Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
3929-020	2	4-3/4	2-13/16	1-1/4	.46
3929-030	3	5-3/4	4-1/8	1-1/4	1.05
3929-040	4	6-1/2	5-3/16	2	1.85
3929-060	6	8	7-1/2	1-1/2	4.27
3929-080	8	10	9-5/8	1-1/2	8.52
3929-100	10	12-1/2	11-15/16	2	14.40
3929-120	12	14-1/4	14-1/8	1-3/4	21.80
3929-140	14	16-1/4	15-1/2	2-1/4	29.69
3929-160	16	18-5/8	17-11/16	2-5/8	42.40


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Coupling SCH 80

(Continued)


Socket x Socket



Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
3929-180	18	22	19-7/8	4	67.00
3929-200	20	25-3/4	22-1/16	5-3/4	84.73
3929-240	24	29-1/4	26-7/16	5-1/4	147.22

Repair Coupling SCH 40

Gasket x Gasket




Part Number	Size	L	L1	M	M1	Approx. Wt. (Lbs.)
3728-040	4	19-1/2	15	5	5-5/8	4.18
3728-060	6	23	18-1/4	7-3/16	7-13/16	8.33
3728-080	8	26-1/8	21-1/2	9-1/16	9-13/16	14.00
3728-100	10	27	22-1/8	11-1/2	12-11/16	20.94
3728-120	12	28-1/4	22-5/8	13-9/16	14-13/16	28.48
3728-140	14	30	21-1/2	14-7/8	16-3/8	36.67
3728-160	16	31	24	17	18-1/2	49.66
3728-180	18	32	22-5/8	19-1/8	20-7/8	69.60
3728-200	20	32	23-1/2	21-3/16	23-3/16	80.72
3728-240	24	32	23-1/2	25-3/8	27-3/4	127.12



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Repair Coupling SCH 80


Gasket x Gasket



Part Number	Size	L	L1	M	M1	Approx. Wt. (Lbs.)
3928-040	4	19-1/2	15	5-3/16	5-3/4	5.68
3928-060	6	23	18-1/4	7-1/2	8-1/8	12.61
3928-080	8	26-1/8	19	9-5/8	10-3/8	21.38
3928-100	10	28	21-1/4	11-15/16	13-1/8	34.00
3928-120	12	29	21-3/8	14-1/8	15-3/8	49.16
3928-140	14	30	21	15-1/2	17-1/4	62.11
3928-160	16	31	22-1/4	17-11/16	18-7/8	75.99
3928-180	18	32	22-5/8	19-7/8	21-7/8	112.33
3928-200	20	32	23-1/2	22-1/16	24-1/16	113.21
3928-240	24	32	23-1/2	26-7/16	28-13/16	142.50

Reducer Coupling- SCH 40

Socket X Socket



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3729-528	6X2	9-1/4	7-1/8	5-5/16	4-5/8	2.77
3729-530	6X3	11-15/16	7-1/8	3-15/16	6-7/16	2.64
3729-532	6X4	8-7/8	7- 3/32	5- 1/32	3- 1/4	2.04
3729-578	8X2	14-7/8	9-3/16	5-5/16	9-1/4	5.75
3729-580	8X3	17-9/16	9-3/16	3-15/16	11-1/16	5.17
3729-582	8X4	14- 1/2	9-3/16	5	8	4.80
3729-585	8X6	11-1/2	9-3/16	7-3/16	3-1/2	3.73
3729-624	10X4	17-3/8	11-3/8	5	9-7/8	7.18
3729-626	10X6	13-7/8	11-3/8	7-1/4	5-3/8	6.61
3729-628	10X8	13-1/4	11-9/16	9-7/16	3-3/4	8.95
3729-664	12X4	24	13-9/16	5	15-1/2	15.20
3729-666	12X6	20-1/2	13-9/16	7-1/4	11	14.72
3729-668	12X8	15- 3/4	13- 9/16	9- 7/16	5- 1/4	12.30


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Reducer Coupling- SCH 40

(Continued)

Socket X Socket




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3729-670	12X10	15-1/8	13-9/16	11-9/16	3-5/8	14.44
3729-694	14X4	25-7/8	14-13/16	5	16-5/8	17.51
3729-696	14X6	22-3/8	14-13/16	7-1/4	12-1/8	17.18
3729-698	14X8	21-3/4	14-3/4	9-7/16	10-1/2	20.81
3729-700	14X10	17	14-13/16	11-9/16	4-3/4	14.51
3729-702	14X12	16-1/2	15	13-3/4	3-1/4	19.05
3729-754	16X4	32-1/2	17	5	22-1/4	29.72
3729-756	16X6	29	17	7-3/16	17-3/4	30.08
3729-758	16X8	24-3/4	17	9-7/16	12-1/2	28.87
3729-760	16X10	24	17	11-9/16	10-3/4	30.50
3729-762	16X12	18-7/8	17	13-3/4	4-5/8	22.64
3729-764	16X14	18-1/2	16-7/8	14-7/8	3-1/2	22.84
3729-786	18X6	38	19	7-3/16	25-3/4	50.29
3729-788	18X8	33-3/4	19	9-7/16	20-1/2	46.36
3729-790	18X10	33-3/4	19	9-7/16	20-1/2	46.43
3729-792	18X12	33	19	11-9/16	18-3/4	44.77
3729-794	18X14	27-7/8	19	13-3/4	12-5/8	43.64
3729-796	18X16	21-5/8	19	17	4-5/8	30.97
3729-816	20X6	47	21-1/8	7-3/16	33-3/4	74.44
3729-818	20X8	42-3/4	21-1/8	9-7/16	28-1/2	72.15
3729-820	20X10	42	21-1/8	11-9/16	26-3/4	82.75
3729-822	20X12	36-7/8	21-1/8	13-3/4	20-5/8	76.33
3729-824	20X14	36-1/2	21-1/8	14-7/8	19-1/2	74.41
3729-826	20X16	30-5/8	21-1/8	17	12-5/8	58.52
3729-828	20X18	23-1/4	21-1/8	19-1/8	4-1/4	46.31
3729-906	24X6	59-1/4	25-3/16	7-3/16	44	132.86
3729-908	24X8	55	25-3/16	9-7/16	38-3/4	126.86
3729-910	24X10	54-1/4	25-3/16	11-9/16	37	128.19
3729-912	24X12	49-1/8	25-3/16	13-3/4	30-7/8	108.48
3729-914	24X14	48-3/4	25-3/16	14-7/8	29-3/4	106.10
3729-916	24X16	42-7/8	25-3/16	17	22-7/8	108.17
3729-918	24X18	35-1/2	25-3/16	19-1/8	14-1/2	90.89
3729-920	24X20	28-3/4	25-3/16	21-3/16	6-3/4	66.93



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Reducer Coupling- SCH 80

Socket X Socket



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-528	6X2	14-5/8	7-5/16	2-13/16	9-5/8	3.63
3929-530	6X3	12-1/4	7-5/16	4-1/8	6-3/4	3.52
3929-532	6X4	8-7/8	7-5/16	5-3/16	3-3/8	2.68
3929-578	8X2	20-3/8	9-1/2	2-13/16	14-3/8	8.25
3929-580	8X3	18	9- 1/2	4- 1/8	11-1/2	8.37
3929-582	8X4	14-5/8	9- 1/2	5-3/16	8-1/8	7.15
3929-585	8X6	11	9-1/2	7-1/2	3-1/2	7.01
3929-624	10X4	21-1/8	11-3/4	5-3/16	13-5/8	14.75
3929-626	10X6	17-1/2	11- 3/4	7- 1/2	9	16.01
3929-628	10X8	13-1/4	11-3/4	9-5/8	3-3/4	11.36
3929-664	12X4	28-3/8	13-15/16	5-3/16	19-7/8	30.99
3929-666	12X6	24-3/4	13-15/16	7- 1/2	15-1/4	30.03
3929-668	12X8	20-1/2	13-15/16	9-5/8	10	26.08
3929-670	12X10	16-3/8	13-15/16	11-15/16	4-7/8	20.57
3929-694	14X4	30-1/8	15-3/16	5-3/16	20-7/8	29.93
3929-696	14X6	26-1/2	15-3/16	7-1/2	16-1/4	33.67
3929-698	14X8	22-1/4	15-3/16	9- 5/8	11	31.22
3929-700	14X10	18-1/8	15-3/16	11-15/16	5-7/8	24.68
3929-702	14X12	17-3/4	15-3/8	14-1/8	4-1/2	27.40
3929-754	16X4	38	17-3/8	5-3/16	27-3/4	50.44
3929-756	16X6	34-3/8	17-3/8	7-1/2	23-1/8	57.36
3929-758	16X8	30-1/8	17-3/8	9-5/8	17-7/8	53.41
3929-760	16X10	26	17-3/8	11-15/16	12-3/4	47.90
3929-762	16X12	20-1/4	17-3/8	14-1/8	6	37.66
3929-764	16X14	20-1/4	17-1/2	15-1/2	5-1/4	42.89
3929-786	18X6	43-3/4	19-11/16	7-1/2	31-1/2	93.96
3929-788	18X8	39-1/2	19-11/16	9-5/8	26-1/4	89.60
3929-790	18X10	35-3/8	19-11/16	11-15/16	21-1/8	84.51
3929-792	18X12	29-5/8	19-11/16	14-1/8	14-3/8	68.96
3929-794	18X14	29-5/8	19-11/16	15-1/2	13-5/8	75.39
3929-796	18X16	23	19-11/16	17-11/16	6	57.24
3929-816	20X6	54-1/2	21-7/8	7-1/2	41-1/4	131.05
3929-818	20X8	50-1/8	21-7/8	9-5/8	35-7/8	140.15
3929-820	20X10	46	21-7/8	11-15/16	30-3/4	137.53
3929-822	20X12	40-1/4	21-7/8	14-1/8	24	127.28
3929-824	20X14	40-1/4	21-7/8	15-1/2	23-1/4	118.16
3929-826	20X16	33-5/8	21-7/8	17-11/16	15-5/8	108.13
3929-828	20X18	25-1/2	21-7/8	19-7/8	6-1/2	81.06
3929-906	24X6	67-7/8	26-1/16	7-1/2	52-5/8	228.78


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Reducer Coupling- SCH 80

(Continued)


Socket X Socket



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-908	24X8	63-5/8	26-1/16	9-5/8	47-3/8	228.25
3929-910	24X10	59-1/2	26-1/16	11-15/16	42-1/4	219.32
3929-912	24X12	53-3/4	26-1/16	14-1/8	35-1/2	192.81
3929-914	24X14	53-3/4	26-1/16	15-1/2	34-3/4	210.21
3929-916	24X16	47-1/8	26-1/16	17-11/16	27-1/8	187.81
3929-918	24X18	39	26-1/16	19-7/8	18	162.85
3929-920	24X20	30-5/8	26-1/16	22-1/16	8-5/8	123.13

Eccentric Reducer Coupling- SCH 40

Socket X Socket




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3729-338E	3X2	7-15/16	3-13/16	2-11/16	3-15/16	.61
3729-420E ²	4X2	12-1/4	4-15/16	2-11/16	8-1/2	2.14
3729-422E	4X3	8-5/8	4-15/16	3-15/16	4-1/8	1.22
3729-528E ²	6X2	15-9/16	7-1/8	2-3/4	10-15/16	3.51
3729-530E ²	6X3	16-5/16	7-1/8	3-15/16	10-13/16	3.16
3729-532E ¹	6X4	10-13/16	7-1/8	5	5-5/16	2.27
3729-580E ³	8X3	25	9-3/16	3-15/16	18-1/2	7.18
3729-582E ²	8X4	19-11/16	9-3/16	5	13-7/16	8.21
3729-585E	8X6	14-3/8	9-3/16	7-3/16	6-7/8	4.85
3729-624E ²	10X4	22-7/16	11-3/8	5	15-3/16	10.13
3729-626E	10X6	17-1/8	11-3/8	7-1/4	8-5/8	7.48
3729-628E	10X8	16-11/16	11-3/8	9-1/4	7-3/16	8.48
3729-664E ³	12X4	32-7/16	13-1/2	5	24-3/16	20.15
3729-666E ²	12X6	27-1/8	13-1/2	7-1/4	17-5/8	16.79
3729-668E ²	12X8	26-11/16	13-1/2	9-1/4	16-3/16	18.12
3729-670E	12X10	18-3/8	13-1/2	11-1/2	6-7/8	13.53
3729-696E ²	14X6	31-3/8	15	7-1/4	21-1/8	26.14
3729-698E ²	14X8	30-15/16	15	9-1/4	19-1/16	26.76
3729-700E ¹	14X10	22-3/4	15	11-3/4	10-1/2	23.23
3729-702E	14X12	19	15	13-3/4	5-3/4	21.29



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

**Eccentric Reducer Coupling-
SCH 40**

Socket X Socket




(Continued)

Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3729-756E ⁴	16X6	43-5/8	17	7-1/4	32-3/8	42.00
3729-758E ³	16X8	43-3/16	17	9-1/4	30-15/16	42.02
3729-760E ³	16X10	34-7/8	17	11-1/2	21-5/8	38.22
3729-762E	16X12	26-1/2	17	13-3/4	12-1/4	30.83
3729-764E	16X14	21-3/4	16-7/8	14-7/8	6-3/4	24.61
3729-786E ⁵	18X6	56	19	7-1/4	43-3/4	71.11
3729-788E ⁴	18X8	55-9/16	19	9-1/4	42-5/16	70.92
3729-790E ³	18X10	47-1/4	19	11-1/2	33	65.31
3729-792E ²	18X12	38-7/8	19	13-3/4	23-5/8	55.50
3729-794E ²	18X14	34-1/8	19	14-7/8	18-1/8	49.03
3729-796E	18X16	25	19	17	8	38.72

**Eccentric Reducer Coupling-
SCH 80**

Socket X Socket



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-338E	3X2	8-1/8	3-15/16	2-13/16	4-1/8	1.00
3929-420E ²	4X2	12-3/8	5- 1/8	2-13/16	8-5/8	2.62
3929-422E	4X3	8-3/4	5-1/8	4-1/8	4-1/4	1.69
3929-528E ³	6X2	20	7-5/16	2-7/8	15-1/4	4.84
3929-530E ²	6X3	16-3/8	7-5/16	4-1/8	10-7/8	4.57
3929-532E	6X4	11-1/8	7-5/16	5-3/16	5-5/8	3.39
3929-580E ³	8X3	26-1/8	9-1/2	4-1/8	19-5/8	11.01
3929-582E ²	8X4	20-7/8	9-1/2	5-3/16	14-3/8	10.24
3929-585E	8X6	15-1/4	9-1/2	7-1/2	7-3/4	8.40
3929-624E ³	10X4	32	11-3/4	5	24-1/2	21.03
3929-626E ²	10X6	26- 3/8	11- 3/4	7- 1/2	17- 7/8	18.61
3929-628E	10X8	18-1/16	11- 3/4	9- 5/8	8-9/16	13.81
3929-664E ⁴	12X4	43-1/2	13-15/16	5-3/16	35	37.53
3929-666E ³	12X6	37-7/8	13-15/16	7- 1/2	28-3/8	36.64
3929-668E ²	12X8	29-9/16	13-15/16	9-5/8	19-1/16	32.09
3929-670E	12X10	20-5/8	13-15/16	11-15/16	9-1/8	23.62


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



**Eccentric Reducer Coupling-
SCH 80**

Socket X Socket


(Continued)



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-696E ³	14X6	41-3/8	15-3/16	7-1/2	31-1/8	41.01
3929-698E ²	14X8	33-1/16	15-3/16	9-5/8	21-13/16	35.00
3929-700E ¹	14X10	24-1/8	15-3/16	11-15/16	11-7/8	29.88
3929-702E	14X12	20-1/8	15-3/8	14-1/8	6-7/8	30.11
3929-756E ⁴	16X6	54-1/4	17-1/2	7-1/2	43	73.56
3929-758E ³	16X8	45-15/16	17-1/2	9-5/8	33-11/16	69.73
3929-760E ²	16X10	37	17-1/2	11-15/16	23-3/4	59.25
3929-762E ²	16X12	33	17-1/2	14-1/8	18-3/4	64.09
3929-764E	16X14	24-5/8	17-1/2	15-1/2	9-5/8	46.25
3929-786E ⁵	18X6	69-1/4	19-11/16	7-1/2	57	121.36
3929-788E ⁴	18X8	60-15/16	19-11/16	9-5/8	47-11/16	121.91
3929-790E ³	18X10	52	19-11/16	11-15/16	37-3/4	109.42
3929-792E ³	18X12	48	19-11/16	14-1/8	32-3/4	109.80
3929-794E ²	18X14	39-5/8	19-11/16	15-1/2	23-5/8	97.05
3929-796E	18X16	28-5/8	19-11/16	17-11/16	11-5/8	66.92

Cross SCH 40

Socket x Socket x Socket x Socket



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
3720-040	4	5-15/16	5-15/16	8-3/16	8-3/16	16-3/8	16-3/8	5	5.06
3720-060	6	6 3/16	6 3/16	9 7/16	9 7/16	18 7/8	18 7/8	7 3/16	9.74
3720-080	8	7-5/16	7-5/16	11-9/16	11-9/16	23-1/8	23-1/8	9-1/4	19.84
3720-100	10	9	8-3/8	14-1/4	13-5/8	28-1/2	27-1/4	11-1/2	30.13
3720-120	12	11-1/4	10-3/16	17-1/2	16-7/16	35	32-7/8	13-9/16	48.90
3720-140	14	11	11	18	18	36	36	14-7/8	64.38
3720-160	16	12-7/8	12-7/8	20-7/8	20-7/8	41-3/4	41-3/4	17	93.23
3720-180	18	13-3/8	13-3/8	22-3/8	22-3/8	44-3/4	44-3/4	19-1/8	130.37




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Cross SCH 40

(Continued)


Socket x Socket x Socket x Socket



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
3720-200	20	15-1/2	15-7/16	25-1/2	25-7/16	51	50-7/8	21-3/16	161.18
3720-240	24	17-1/2	17-1/2	29-1/2	29-1/2	59	59	25-3/8	269.21

Cross SCH 40-Reducer

Socket X Socket X Socket X Socket



Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
3720-420	4X2	4-1/4	4-1/4	6-1/2	6	13	12	5	2-11/16	2.77
3720-422	4X3	4-3/4	5	7	7-1/4	14	14-1/2	5	3-15/16	3.75
3720-528	6X2	3- 3/8	5-1/16	6- 5/8	7-1/16	13- 1/4	14-1/8	7-3/16	2-11/16	4.27
3720-530	6X3	4-5/8	6-1/4	7-7/8	8-5/16	15-3/4	16-5/8	7- 3/16	3-15/16	6.27
3720-532	6X4	5-1/8	6-3/8	8-3/8	8-5/8	16-3/4	17-1/4	7- 3/16	5	6.83
3720-578	8X2	4-1/16	6-1/4	8-5/16	8	16-5/8	16	9-1/4	2-11/16	9.46
3720-580	8X3	4-9/16	7	8-13/16	9-1/4	17-5/8	18-1/2	9- 1/4	3-15/16	8.65
3720-582	8X4	5-1/16	7-5/16	9-5/16	9-9/16	18-5/8	19-1/8	9- 1/4	5	11.96
3720-585	8X6	6-3/16	7-3/8	10-7/16	10-5/8	19- 1/8	20- 1/2	9- 1/4	7- 3/16	14.65
3720-621	10X2	4-3/8	7-1/4	9-5/8	9	19-1/4	18	11-1/2	2-11/16	13.72
3720-623	10X3	4-7/8	8	10-1/8	10-1/4	20-1/4	20-1/2	11-1/2	3-15/16	15.12
3720-624	10X4	5-3/8	8-5/16	10-5/8	10-9/16	21-1/4	21-1/8	11-1/2	4-7/8	16.48
3720-626	10X6	5- 7/8	8- 3/8	11- 1/8	11- 5/8	22- 1/4	23- 1/4	11- 1/2	7-3/16	18.17


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Cross SCH 40-Reducer

Socket X Socket X Socket X Socket

(Continued)



Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
3720-628	10X8	6-1/4	8-5/16	12	12-9/16	24	25-1/8	11-1/2	9-1/4	23.18
3720-664	12X4	5-3/4	9-5/16	12	11-9/16	24	23-1/8	13-9/16	5	21.93
3720-666	12X6	7	9-3/8	13-1/4	12-5/8	26-1/2	25-1/4	13-9/16	7-3/16	26.94
3720-668	12X8	8	9-5/16	14-1/4	13-9/16	28-1/2	27-3/8	13-9/16	9-1/4	32.80
3720-670	12X10	10-1/4	10-3/8	16-1/2	15-5/8	33	31-1/4	13-9/16	11-1/2	41.56
3720-691	14X2	4-3/8	8-13/16	11-3/8	10-9/16	22-3/4	21-1/8	14-7/8	2-11/16	25.40
3720-693	14X3	4-7/8	9-9/16	11-7/8	11-13/16	23-3/4	23-5/8	14-7/8	3-15/16	27.27
3720-694	14X4	5-3/8	9-7/8	12-3/8	12-1/8	24-3/4	24-1/4	14-7/8	5	29.04
3720-696	14X6	6-3/8	9-15/16	13-3/8	13-3/16	26-3/4	26-3/8	14-7/8	7-3/16	32.81
3720-698	14X8	7-3/8	9-7/8	14-3/8	14-1/8	28-3/4	28-1/4	14-7/8	9-1/4	39.09
3720-700	14X10	8-1/2	10-15/16	15-1/2	16-3/16	31	32-3/8	14-7/8	11-1/2	46.82
3720-702	14X12	9-1/2	10-3/4	16-1/2	17	33	34	14-7/8	13-9/16	54.58
3720-751	16X2	4-9/16	9-3/4	12-9/16	11-1/2	25-1/8	23	17	2-11/16	36.17
3720-753	16X3	5-1/8	10-1/2	13-1/18	12-3/4	26-1/4	25-1/2	17	3-15/16	39.27
3720-754	16X4	5-5/8	10-13/16	13-5/8	13-1/16	27-1/4	26-1/8	17	5	40.12
3720-756	16X6	6-3/4	10-7/8	14-3/4	14-1/8	29-1/2	28-1/4	17	7-3/16	45.75
3720-758	16X8	7-3/4	10-13/16	15-3/4	15-1/16	31-1/2	30-1/8	17	9-1/4	52.58
3720-760	16X10	8-3/4	11-7/8	16-3/4	17-1/8	33-1/2	34-1/4	17	11-1/2	58.51
3720-762	16X12	9-3/4	11-11/16	17-3/4	17-15/16	35-1/2	35-7/8	17	13-9/16	66.82
3720-764	16X14	10-3/8	11-15/16	18-3/8	18-15/16	36-3/4	37-7/8	17	14-7/8	74.82
3720-784	18X4	6-3/8	11-3/4	15-3/8	14	30-3/4	28	19-1/8	5	58.65
3720-786	18X6	7-3/8	11-13/16	16-3/8	15-1/16	32-3/4	30-1/8	19-1/8	7-3/16	63.77
3720-788	18X8	8-3/8	11-3/4	17-3/8	16	34-3/4	32	19-1/8	9-1/4	71.40
3720-790	18X10	9-1/2	12-13/16	18-1/2	18-1/16	37	36-1/8	19-1/8	11-1/2	79.46
3720-792	18X12	10-1/2	12-5/8	19-1/2	18-7/8	39	37-3/4	19-1/8	13-9/16	88.57
3720-794	18X14	11	12-7/8	20-1/8	19-7/8	40-1/4	39-3/4	19-1/8	14-7/8	96.97
3720-796	18X16	12-1/8	13-13/16	21-1/8	21-13/16	42-1/4	43-5/8	19-1/8	17	112.24
3720-814	20X4	6-1/8	12-3/4	16-1/8	15	32-1/4	30	21-3/16	5	68.98
3720-816	20X6	7-1/4	12-13/16	17-1/4	16-1/16	34-1/2	32-1/8	21-3/16	7-3/16	74.61
3720-818	20X8	8-1/4	12-3/4	18-1/4	17	36-1/2	34	21-3/16	9-1/4	82.75
3720-820	20X10	9-1/4	13-13/16	19-1/4	19-1/16	38-1/2	38-1/8	21-3/16	11-1/2	91.30




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Cross SCH 40-Reducer

Socket X Socket X Socket X Socket


(Continued)



Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
3720-822	20X12	10-1/4	13-5/8	20-1/4	19-7/8	40-1/2	39-3/4	21-3/16	13-9/16	104.07
3720-824	20X14	10-7/8	13-7/8	20-7/8	20-7/8	41-3/4	41-3/4	21-3/16	14-7/8	103.40
3720-826	20X16	11-7/8	14-13/16	21-7/8	22-13/16	43-3/4	45-5/8	21-3/16	17	127.33
3720-828	20X18	12-7/8	14-3/8	22-7/8	23-3/8	45-3/4	46-3/4	21-3/16	19-1/8	145.96
3720-904	24X4	7-3/8	14-5/8	19-3/8	16-7/8	38-3/4	33-3/4	25-3/8	5	117.01
3720-906	24X6	8-3/8	14-11/16	20-3/8	17-15/16	40-3/4	35-7/8	25-3/8	7-3/16	124.32
3720-908	24X8	9-3/8	14-5/8	21-3/8	18-7/8	42-3/4	37-3/4	25-3/8	9-1/4	134.13
3720-910	24X10	10-1/2	15-11/16	22-1/2	20-15/16	45	41-7/8	25-3/8	11-1/2	144.35
3720-912	24X12	11-1/2	15-1/2	23-1/2	21-3/4	47	43-1/2	25-3/8	13-9/16	155.64
3720-914	24X14	12-1/8	15-3/4	24-1/8	22-3/4	48-1/4	45-1/2	25-3/8	14-7/8	165.14
3720-916	24X16	13-1/8	16-11/16	25-1/8	24-11/16	50-1/4	49-3/8	25-3/8	17	182.59
3720-918	24X18	14-1/8	16-1/4	26-1/8	25-1/4	52-1/4	50-1/2	25-3/8	19-1/8	202.89
3720-920	24X20	15-1/8	17-5/16	27-1/8	27-5/16	54-1/4	54-5/8	25-3/8	21-3/16	223.98

Cross SCH 80

Socket x Socket x Socket x Socket



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
3920-040	4	5-3/4	5-3/4	8	8	16	16	5-3/16	10.24
3920-060	6	6-1/4	6-1/4	9-1/2	9-1/2	19	19	7-1/2	15.89


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Cross SCH 80

(Continued)


Socket x Socket x Socket x Socket



Part Number	Size	G	G1	H	H1	L	L1	M	Approx. Wt. (Lbs.)
3920-080	8	7-5/8	7-5/8	11-7/8	11-7/8	23-3/4	23-3/4	9-5/8	29.82
3920-100	10	9	9	14-1/4	14-1/4	28-1/2	28-1/2	11-15/16	51.44
3920-120	12	11-1/4	11-1/4	17-1/2	17-1/2	35	35	14-1/8	89.81
3920-140	14	12-1/4	12-1/4	19-1/4	19-1/4	38-1/2	38-1/2	15-1/2	115.49
3920-160	16	13	13	21	21	42	42	17-11/16	156.88
3920-180	18	13-3/4	13-3/4	22-3/4	22-3/4	45-1/2	45-1/2	19-7/8	220.83
3920-200	20	16-3/8	16-3/8	26-3/8	26-3/8	52-3/4	52-3/4	22-1/16	314.68
3920-240	24	20-1/4	20-1/4	32-1/4	32-1/4	64-1/2	64-1/2	26-7/16	553.21

Cross SCH 80- Reducer

Socket X Socket X Socket X Socket



Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
3920-420	4X2	3-7/8	4-1/4	6-1/8	6	12-1/4	12	5-3/16	2-13/16	3.94
3920-422	4X3	5-1/4	4-13/16	7-1/2	7-1/16	15	14-1/8	5-3/16	4-1/8	5.39
3920-528	6X2	4-5/8	5-3/16	7-7/8	6-15/16	15-3/4	13-7/8	7-1/2	2-13/16	8.30
3920-530	6X3	4- 3/4	5-3/4	8	8	16	16	7- 1/2	4- 1/8	9.29
3920-532	6X4	5- 1/4	6-3/4	8- 1/2	9	17	18	7- 1/2	5- 3/16	11.87
3920-578	8X2	4-11/16	6-1/8	8-15/16	7-7/8	17-7/8	15-3/4	9-5/8	2-13/16	12.99
3920-580	8X3	5-3/16	6-11/16	9-7/16	8-15/16	18-7/8	17-7/8	9- 5/8	4-1/8	16.54




Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Cross SCH 80- Reducer

Socket X Socket X Socket X Socket

(Continued)



Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
3920-582	8X4	5- 3/4	7-11/16	10	9-15/16	20	19-7/8	9- 5/8	5-3/16	16.57
3920-585	8X6	6- 3/4	8-1/16	11	11-5/16	22	22-5/8	9- 5/8	7- 1/2	18.69
3920-621	10X2	4-3/8	7-1/8	9-5/8	8-7/8	19-1/4	17-3/4	11-15/16	2-13/16	19.46
3920-623	10X3	4-7/8	7-11/16	10-1/8	9-15/16	20-1/4	19-7/8	11-15/16	4-1/8	25.45
3920-624	10X4	5-3/8	8-11/16	10-5/8	10-15/16	21-1/4	21-7/8	11-15/16	5-3/16	26.74
3920-626	10X6	5-7/8	9-1/16	11-1/8	12-5/16	22-1/4	24-5/8	11-15/16	7-1/2	30.99
3920-628	10X8	8- 1/4	9-15/16	13- 1/2	14-3/16	27	28-3/8	11-15/16	9- 5/8	43.00
3920-661	12X2	4-3/4	8	11	9-3/4	22	19-1/2	14- 1/8	2-13/16	35.50
3920-663	12X3	5-1/4	8-9/16	11-1/2	10-13/16	23	21-5/8	14-1/8	4-1/8	37.84
3920-664	12X4	5-3/4	9-9/16	12	11-13/16	24	23-5/8	14-1/8	5-3/16	39.32
3920-666	12X6	7-1/4	9-15/16	13-1/4	13-3/16	26-1/2	26-3/8	14-1/8	7-1/2	49.48
3920-668	12X8	8	10-13/16	14-1/4	15-1/16	28-1/2	30-1/8	14-1/8	9-5/8	59.10
3920-670	12X10	10-1/4	10-13/16	16-1/2	16-1/16	33	32-1/8	14-1/8	11-15/16	67.15
3920-691	14X2	5-3/16	8-9/16	12-3/16	10-5/16	24-3/8	20-5/8	15-1/2	2-13/16	43.63
3920-693	14X3	5-3/4	9-1/8	12-3/4	11-3/8	25-1/2	22-3/4	15-1/2	4-1/8	46.69
3920-694	14X4	6-1/2	10-1/8	13-1/2	12-3/8	27	24-3/4	15-1/2	5-3/16	50.92
3920-696	14X6	8- 1/4	10-1/2	15- 1/4	13-3/4	30- 1/2	27-1/2	15- 1/2	7- 1/2	60.27
3920-698	14X8	9- 1/4	11-3/8	16- 1/4	15-5/8	32- 1/2	31-1/4	15- 1/2	9- 5/8	70.30
3920-700	14X10	10-1/8	11-3/8	17-1/8	16-5/8	34-1/4	33-1/4	15-1/2	11-15/16	82.02
3920-702	14X12	11	11-3/8	18	17-5/8	36	35-1/4	15- 1/2	14- 1/8	97.46
3920-754	16X4	6-1/8	11-1/16	14-1/8	13-5/16	28-1/4	26-5/8	17-11/16	5-3/16	65.25
3920-756	16X6	8-5/8	11-7/16	16-5/8	14-11/16	33-1/4	29-3/8	17-11/16	7-1/2	81.24
3920-758	16X8	9-5/8	12-5/16	17-5/8	16-9/16	35-1/4	33-1/8	17-11/16	9-5/8	92.64
3920-760	16X10	10-5/8	12-5/16	18-5/8	17-9/16	37-1/4	35-1/8	17-11/16	11-15/16	105.31
3920-762	16X12	11- 5/8	12-5/16	19- 5/8	18-9/16	39- 1/4	37-1/8	17-11/16	14- 1/8	121.68
3920-764	16X14	12- 3/4	12-11/16	20- 3/4	19-11/16	41- 1/2	39-3/8	17-11/16	15- 1/2	137.83
3920-784	18X4	6-7/8	11-15/16	15-7/8	14-3/16	31-3/4	28-3/8	19-7/8	5-3/16	98.11
3920-786	18X6	8-1/2	12-5/16	17-1/2	15-9/16	35	31-1/8	19-7/8	7-1/2	110.90
3920-788	18X8	9-1/2	13-3/16	18-1/2	17-7/16	37	34-7/8	19-7/8	9-5/8	123.22
3920-790	18X10	10-1/2	13-3/16	19-1/2	18-7/16	39	36-7/8	19-7/8	11-15/16	130.90
3920-792	18X12	11-1/2	13-3/16	20-1/2	19-7/16	41	38-7/8	19-7/8	14-1/8	147.20


Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Cross SCH 80- Reducer

Socket X Socket X Socket X Socket

(Continued)




Part Number	Size	G	G1	H	H1	L	L1	M	M1	Approx. Wt. (Lbs.)
3920-794	18X14	12-3/4	13-9/16	21-3/4	20-9/16	43-1/2	41-1/8	19-7/8	15-1/2	173.13
3920-796	18X16	13-1/2	14-3/16	22-1/2	22-3/16	45	44-3/8	19-7/8	17-11/16	194.98
3920-814	20X4	7-11/16	12-7/8	17-11/16	15-1/8	35-3/8	30-1/4	22-1/16	5-3/16	133.05
3920-816	20X6	8-7/8	13-1/4	18-7/8	16-1/2	37-3/4	33	22-1/16	7-1/2	144.29
3920-818	20X8	9-7/8	14-1/8	19-7/8	18-3/8	39-3/4	36-3/4	22-1/16	9-5/8	157.86
3920-820	20X10	10-7/8	14-1/8	20-7/8	19-3/8	41-3/4	38-3/4	22-1/16	11-15/16	173.13
3920-822	20X12	11-7/8	14-1/8	21-7/8	20-3/8	43-3/4	40-3/4	22-1/16	14-1/8	195.00
3920-824	20X14	12-7/8	14-1/2	22-7/8	21-1/2	45-3/4	43	22-1/16	15-1/2	208.73
3920-826	20X16	14	15-1/8	24	23-1/8	48	46-1/4	22-1/16	17-11/16	238.04
3920-828	20X18	15	15	25	24	50	48	22-1/16	19-7/8	270.73
3920-904	24X4	9	14-11/16	21	16-15/16	42	33-7/8	26-7/16	5-3/16	209.09
3920-906	24X6	9-1/4	15-1/16	21-1/4	18-5/16	42-1/2	36-5/8	26-7/16	7-1/2	225.85
3920-908	24X8	10-1/4	15-15/16	22-1/4	20-3/16	44-1/2	40-3/8	26-7/16	9-5/8	242.28
3920-910	24X10	11-1/4	15-15/16	23-1/4	21-3/16	46-1/2	42-3/8	26-7/16	11-15/16	260.41
3920-912	24X12	12-1/4	15-15/16	24-1/4	22-3/16	48-1/2	44-3/8	26-7/16	14-1/8	287.11
3920-914	24X14	13-1/4	16-5/16	25-1/4	23-5/16	50-1/2	46-5/8	26-1/16	15-1/2	306.59
3920-916	24X16	14-3/4	16-15/16	26-3/4	24-15/16	53-1/2	49-7/8	26-7/16	17-11/16	340.20
3920-918	24X18	15-3/4	16-13/16	27-3/4	25-13/16	55-1/2	51-5/8	26-7/16	19-7/8	375.76
3920-920	24X20	16-3/4	18-3/16	28-3/4	28-3/16	57-1/2	56-3/8	26-7/16	22-1/16	422.57



Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings

Cap SCH 40


Socket



Part Number	Size	M	W	Approx. Wt. (Lbs.)
3747-100	10	11-9/16	3-3/4	3.85
3747-120	12	13-9/16	4-1/8	5.77
3747-140	14	14-13/16	5-3/4	8.81
3747-160	16	17-1/8	5-1/2	12.40
3747-180	18	18-7/8	5-7/8	12.11
3747-200	20	21-1/16	6-3/8	19.27
3747-240	24	25-3/16	6-3/4	28.06

Cap SCH 80

Socket




Part Number	Size	M	W	Approx. Wt. (Lbs.)
3947-100	10	11-9/16	3-3/4	3.85
3947-120	12	13-9/16	4-1/8	5.74
3947-140	14	14-13/16	5-3/4	8.06
3947-160	16	17-1/8	5-1/2	11.89
3947-180	18	18-7/8	5-7/8	11.67
3947-200	20	21-1/16	6-3/8	20.59
3947-240	24	25-3/16	7	30.00

Fabricated Fittings Technical
PVC Schedule 40 & 80 Low Pressure Fabricated Fittings



Spigot Plug SCH 40


Spigot



Part Number	Size	L	Approx. Wt. (Lbs.)
3749-060	6	7-1/4	3.48
3749-080	8	8-1/4	5.96
3749-100	10	9-3/4	10.13
3749-120	12	11-1/8	16.54
3749-140	14	13-3/4	21.56
3749-160	16	14-1/2	30.78

Spigot Plug SCH 80

Spigot



Part Number	Size	L	Approx. Wt. (Lbs.)
3949-060	6	7-1/4	4.05
3949-080	8	8-1/4	7.26
3949-100	10	9-3/4	11.45
3949-120	12	11-1/8	21.14
3949-140	14	13-3/4	28.27
3949-160	16	14-1/2	41.29