




**Fabricated Fittings Technical**  
**CPVC Schedule 80 Low Pressure Fabricated Fittings**

**Repair Coupling**

(Continued)


Gasket X Gasket



Part Number	Size	L	L1	M	M1	Approx. Wt. (Lbs.)
3928-080C	8	26-1/8	19	9-5/8	10-3/8	23.42
3928-100C	10	28	21-1/4	11-15/16	13-1/8	37.92
3928-120C	12	29	21-3/8	14-1/8	15-3/8	53.28
3928-140C	14	30	21	15-1/2	17-1/4	68.61
3928-160C	16	31	22-1/4	17-11/16	18-7/8	71.10
3928-180C	18	32	22-5/8	19-7/8	21-7/8	127.70
3928-200C	20	32	23-1/2	22-1/16	24-1/16	160.38
3928-240C	24	32	23-1/2	26-7/16	28-13/16	236.00

**Reducer Coupling- SCH 80**

Socket X Socket



Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-338C	3X2	6	3-15/16	2-13/16	2	.68
3929-420C	4X2	9-1/4	5-1/8	2-13/16	5-1/4	1.65
3929-422C	4X3	6-7/8	5-1/8	4-1/8	2-3/8	1.45
3929-528C	6X2	14-5/8	7-5/16	2-13/16	9-5/8	3.79
3929-530C	6X3	12-1/4	7-5/16	4-1/8	6-3/4	4.17
3929-532C	6X4	8-7/8	7-5/16	5-3/16	3-3/8	3.35
3929-578C	8X2	20-3/8	9-1/2	2-13/16	14-3/8	4.59
3929-580C	8X3	18	9-1/2	4-1/8	11-1/2	8.37
3929-582C	8X4	14-5/8	9-1/2	5-3/16	8-1/8	7.75
3929-585C	8X6	11-1/8	9-1/2	7-1/2	3-5/8	6.82
3929-624C	10X4	21-1/8	11-3/4	5-3/16	13-5/8	19.07
3929-626C	10X6	17-5/8	11-3/4	7-1/2	9-1/8	15.00
3929-628C	10X8	13-3/8	11-3/4	9-5/8	3-7/8	11.31
3929-664C	12X4	28-3/8	13-15/16	5-3/16	19-7/8	29.44
3929-666C	12X6	24-7/8	13-15/16	7-1/2	15-3/8	29.92
3929-668C	12X8	20-5/8	13-15/16	9-5/8	10-1/8	27.00
3929-670C	12X10	16-3/8	13-15/16	11-15/16	4-7/8	20.77
3929-694C	14X4	30-1/8	15-3/16	5-3/16	20-7/8	34.71
3929-696C	14X6	26-5/8	15-3/16	7-1/2	16-3/8	31.45


**Fabricated Fittings Technical**  
**CPVC Schedule 80 Low Pressure Fabricated Fittings**



**Reducer Coupling- SCH 80**

(Continued)

Socket X Socket




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-698C	14X8	22-3/8	15-3/16	9-5/8	11-1/8	27.68
3929-700C	14X10	18-1/8	15-3/16	11-15/16	5-7/8	25.24
3929-702C	14X12	17-3/4	15-3/8	14-1/8	4-1/2	29.29
3929-754C	16X4	38	17-3/8	5-3/16	27-3/4	53.88
3929-756C	16X6	34-1/2	17-3/8	7-1/2	23-1/4	54.03
3929-758C	16X8	30-1/4	17-3/8	9-5/8	18	49.55
3929-760C	16X10	26	17-3/8	11-15/16	12-3/4	45.61
3929-762C	16X12	20-1/4	17-3/8	14-1/8	6	35.57
3929-764C	16X14	20-1/4	17-1/2	15-1/2	5-1/4	43.94
3929-786C	18X6	43-7/8	19-11/16	7-1/2	31-5/8	104.71
3929-788C	18X8	39-5/8	19-11/16	9-5/8	26-3/8	100.55
3929-790C	18X10	35-3/8	19-11/16	11-15/16	21-1/8	89.53
3929-792C	18X12	29-5/8	19-11/16	14-1/8	14-3/8	76.67
3929-794C	18X14	29-5/8	19-11/16	15-1/2	13-5/8	86.99
3929-796C	18X16	23	19-11/16	17-11/16	6	63.70
3929-816C	20X6	54-1/2	21-7/8	7-1/2	41-1/4	159.69
3929-818C	20X8	50-1/4	21-7/8	9-5/8	36	155.53
3929-820C	20X10	46	21-7/8	11-15/16	30-3/4	143.72
3929-822C	20X12	46	21-7/8	11-15/16	30-3/4	138.43
3929-824C	20X14	40-1/4	21-7/8	15-1/2	23-1/4	145.49
3929-826C	20X16	33-5/8	21-7/8	17-11/16	15-5/8	112.40
3929-828C	20X18	25-1/2	21-7/8	19-7/8	6-1/2	88.55
3929-906C	24X6	68	26-1/16	7-1/2	52-3/4	251.98
3929-908C	24X8	63-3/4	26-1/16	9-5/8	47-1/2	247.82
3929-910C	24X10	59-1/2	26-1/16	11-15/16	42-1/4	242.10
3929-912C	24X12	53-3/4	26-1/16	14-1/8	35-1/2	230.72
3929-914C	24X14	53-3/4	26-1/16	15-1/2	34-3/4	237.78
3929-916C	24X16	47-1/8	26-1/16	17-11/16	27-1/8	214.52
3929-918C	24X18	39	26-1/16	19-7/8	18	176.32
3929-920C	24X20	30-5/8	26-1/16	22-1/16	8-5/8	128.81



**Fabricated Fittings Technical**  
**CPVC Schedule 80 Low Pressure Fabricated Fittings**

**Eccentric Reducer Coupling-  
SCH 80**

Socket X Socket




Part Number	Size	L	M	M1	N	Approx. Wt. (Lbs.)
3929-338CE	3X2	8-1/8	3-15/16	2-13/16	4-1/8	1.07
3929-420CE	4X2	12-3/8	5-1/8	2-13/16	8-5/8	2.82
3929-422CE	4X3	8-3/4	5-1/8	4-1/8	4-1/4	1.90
3929-528CE	6X2	20	7-5/16	2-7/8	15-1/4	5.39
3929-530CE	6X3	16-3/8	7-5/16	4-1/8	10-7/8	5.03
3929-532CE	6X4	11-1/8	7-5/16	5-3/16	5-5/8	3.74
3929-533CE	6X5	11-1/4	7-3/8	6-5/16	5	4.77
3929-580CE	8X3	26-1/8	9-1/2	4-1/8	19-5/8	12.51
3929-582CE	8X4	20-7/8	9-1/2	5-3/16	14-3/8	11.11
3929-585CE	8X6	15-1/4	9-1/2	7-1/2	7-3/4	9.77
3929-624CE	10X4	32	11-3/4	5	24-1/2	23.06
3929-626CE	10X6	26-3/8	11-3/4	7-1/2	17-7/8	21.55
3929-628CE	10X8	18-1/16	11-3/4	9-5/8	8-9/16	16.14
3929-664CE	12X4	43-1/2	13-15/16	5-3/16	35	47.19
3929-666CE	12X6	37-7/8	13-15/16	7-1/2	28-3/8	40.39
3929-668CE	12X8	29-9/16	13-15/16	9-5/8	19-1/16	34.85
3929-670CE	12X10	20-5/8	13-15/16	11-15/16	9-1/8	26.05
3929-702CE	14X12	20-1/8	15-3/8	14-1/8	6-7/8	35.17
3929-756CE	16X6	54-1/4	17-1/2	7-1/2	43	81.83
3929-758CE	16X8	45-15/16	17-1/2	9-5/8	33-11/16	77.09
3929-760CE	16X10	37	17-1/2	11-15/16	23-3/4	67.18
3929-762CE	16X12	33	17-1/2	14-1/8	18-3/4	71.77
3929-764CE	16X14	24-5/8	17-1/2	15-1/2	9-5/8	54.62
3929-786CE	18X6	69-1/4	19-11/16	7-1/2	57	59.26
3929-788CE	18X8	60-15/16	19-11/16	9-5/8	47-11/16	148.97
3929-790CE	18X10	52	19-11/16	11-15/16	37-3/4	124.66
3929-792CE	18X12	48	19-11/16	14-1/8	32-3/4	139.09
3929-794CE	18X14	39-5/8	19-11/16	15-1/2	23-5/8	111.05
3929-796CE	18X16	28-5/8	19-11/16	17-11/16	11-5/8	85.64

**Fabricated Fittings Technical**  
**CPVC Schedule 80 Low Pressure Fabricated Fittings**



**Cap SCH 80**


Socket



Part Number	Size	M	W	Approx. Wt. (Lbs.)
3947-040C	4	4-7/8	2-1/4	.33
3947-060C	6	7-1/4	3-1/4	1.45
3947-080C	8	9-11/16	3-3/4	3.59
3947-120C	12	13-9/16	4-1/8	5.83
3947-100C	10	11-9/16	3-3/4	3.85
3947-140C	14	14-13/16	5-3/4	8.14
3947-160C	16	17-1/8	5-1/2	10.57
3947-180C	18	18-7/8	5-7/8	46.93
3947-200C	20	21-1/16	6-3/8	35.27
3947-240C	24	25-3/16	7	30.17

**Spigot Plug SCH 80**

Spigot



Part Number	Size	L	Approx. Wt. (Lbs.)
3949-060C	6	7-1/4	4.73
3949-080C	8	8-1/4	9.40
3949-100C	10	9-3/4	14.53
3949-120C	12	11-1/8	22.50
3949-160C	16	14-1/2	43.47