


**Polypropylene Technical**  
**Polypropylene Schedule 80 Natural SR Threaded Fittings**



**Tee - Natural**


SR Fipt x SR Fipt x SR Fipt



Part Number	Size	G	H	L	M	Approx. Wt. (Lbs.)
<a href="#">4805-005SR</a>	1/2	19/32	1- 9/32	2-17/32	1- 7/32	.09
<a href="#">4805-007SR</a>	3/4	21/32	1- 5/16	2-21/32	1- 3/8	.11
<a href="#">4805-010SR</a>	1	27/32	1-25/32	3- 3/4	1-11/16	.26
<a href="#">4805-015SR</a>	1-1/2	1- 3/16	2- 1/8	4- 1/4	2- 7/16	.41
<a href="#">4805-020SR</a>	2	1-19/32	2-19/32	5- 3/16	3	.75

**90° EII - Natural**


SR Fipt x SR Fipt



Part Number	Size	G	H	M	Approx. Wt. (Lbs.)
<a href="#">4808-005SR</a>	1/2	9/16	1- 1/4	1- 7/32	.07
<a href="#">4808-007SR</a>	3/4	9/16	1- 5/16	1- 3/8	.07
<a href="#">4808-010SR</a>	1	13/16	1-23/32	1-23/32	.16
<a href="#">4808-015SR</a>	1-1/2	1- 3/32	2- 3/32	2- 7/16	.31
<a href="#">4808-020SR</a>	2	1-13/32	2-13/32	3	.48

**45° EII - Natural**

SR Fipt x SR Fipt




Part Number	Size	H	J	M	Approx. Wt. (Lbs.)
<a href="#">4819-005SR</a>	1/2	31/32	1/4	1- 7/32	.05
<a href="#">4819-007SR</a>	3/4	1- 1/16	5/16	1- 3/8	.07
<a href="#">4819-010SR</a>	1	1- 7/32	5/16	1-23/32	.11
<a href="#">4819-015SR</a>	1-1/2	1- 3/8	3/8	2-13/32	.23
<a href="#">4819-020SR</a>	2	1- 5/8	1/2	3- 1/32	.39



Polypropylene Technical  
**Polypropylene Schedule 80 Natural SR Threaded Fittings**

**Coupling - Natural**


SR Fipt x SR Fipt



Part Number	Size	L	M	N	Approx. Wt. (Lbs.)
<a href="#">4830-005SR</a>	1/2	1-19/32	1- 3/16	3/32	.04
<a href="#">4830-007SR</a>	3/4	1-19/32	1- 3/8	7/32	.05
<a href="#">4830-010SR</a>	1	2- 1/32	1-23/32	7/32	.09
<a href="#">4830-015SR</a>	1-1/2	2	2- 7/16	1/8	.17
<a href="#">4830-020SR</a>	2	2- 3/32	3	3/32	.26

**T.T. Bushing - Natural**


Mipt x Fipt



Part Number	Size	L	N	Approx. Wt. (Lbs.)
<a href="#">4839-101</a>	3/4X1/2	15/16	1/4	.01
<a href="#">4839-130</a>	1X1/2	1- 1/8	7/16	.03
<a href="#">4839-131</a>	1X3/4	1- 1/8	7/16	.02
<a href="#">4839-211</a>	1-1/2X1	1- 7/32	7/16	.05
<a href="#">4839-249</a>	2X1	1- 5/16	7/16	.10
<a href="#">4839-251</a>	2X1-1/2	1- 5/16	3/8	.07

**Cap - Natural**

SR Fipt




Part Number	Size	M	W	Approx. Wt. (Lbs.)
<a href="#">4848-005SR</a>	1/2	1- 7/32	1- 3/32	.03
<a href="#">4848-007SR</a>	3/4	1- 3/8	1- 3/32	.04
<a href="#">4848-010SR</a>	1	1-23/32	1- 3/8	.06
<a href="#">4848-015SR</a>	1-1/2	2- 7/16	1-17/32	.14
<a href="#">4848-020SR</a>	2	3- 1/32	1- 5/8	.21

**Polypropylene Technical**  
**Polypropylene Schedule 80 Natural SR Threaded Fittings**



**Union - Natural**


SR Fipt x SR Fipt with FKM O-ring



Part Number	Size	L	M	N	NUT O.D.	Approx. Wt. (Lbs.)
4858-005SR	1/2	1-15/16	1-3/16	15/16	2-1/32	.09
4858-007SR	3/4	2-5/32	1-3/8	21/32	2-9/32	.13
4858-010SR	1	2-9/16	1-11/16	13/16	2-9/16	.20
4858-015SR	1-1/2	2-27/32	2-13/32	29/32	3-17/32	.39
4858-020SR	2	3-7/32	3-1/32	1-3/16	4-7/32	.62

**Union - Natural**


SR Fipt x SR Fipt with EPDM O-ring



Part Number	Size	L	M	N	NUT O.D.	Approx. Wt. (Lbs.)
4898-005SR	1/2	1-15/16	1-3/16	15/16	2-1/32	.09
4898-007SR	3/4	2-5/32	1-3/8	21/32	2-9/32	.13
4898-010SR	1	2-9/16	1-11/16	13/16	2-9/16	.20
4898-015SR	1-1/2	2-27/32	2-13/32	29/32	3-17/32	.38
4898-020SR	2	3-17/32	3-1/32	1-3/16	4-7/32	.62

**Flange - Natural**

SR Fipt



Part Number	Size	L	M	N	R	Bolt Circle Dia.	Bolt Size	Max. O.D.	No of Bolts	Approx. Wt. (Lbs.)
4852-005SR	1/2	1-3/32	1-7/32	13/32	1/2	2-3/8	1/2	3-15/32	4	.12
4852-007SR	3/4	1-3/16	1-3/8	9/32	9/16	2-3/4	1/2	3-27/32	4	.18
4852-010SR	1	1-7/16	1-23/32	7/32	5/8	3-1/8	1/2	4-3/16	4	.25




**Polypropylene Technical**  
**Polypropylene Schedule 80 Natural SR Threaded Fittings & Polypropylene Schedule 80 Black SR Threaded Fittings**

**Flange - Natural**


(Continued)

SR Fipt



Part Number	Size	L	M	N	R	Bolt Circle Dia.	Bolt Size	Max. O.D.	No of Bolts	Approx. Wt. (Lbs.)
4852-015SR	1-1/2	1-11/16	2- 7/16	15/32	23/32	3- 7/8	1/2	4-15/32	4	.39
4852-020SR	2	1-27/32	3	27/32	27/32	4- 3/4	5/8	5-29/32	4	.61


**Blind Flange - Natural**



Part Number	Size	R	Bolt Circle Dia.	Bolt Size	Max. O.D.	No of Bolts	Approx. Wt. (Lbs.)
4853-005	1/2	1/2	2- 3/8	1/2	3-13/32	4	.13
4853-007	3/4	9/16	2- 3/4	1/2	3-27/32	4	.18
4853-010	1	5/8	3- 1/8	1/2	4- 3/16	4	.25
4853-015	1-1/2	23/32	3- 7/8	1/2	4-31/32	4	.39
4853-020	2	27/32	4- 3/4	5/8	5-27/32	4	.50

**Tee - Black**

SR Fipt x SR Fipt x SR Fipt



Part Number	Size	G	H	L	M	Approx. Wt. (Lbs.)
4805-005BSR	1/2	19/32	1- 9/32	2-17/32	1- 7/32	.09
4805-007BSR	3/4	21/32	1- 5/16	2-21/32	1- 3/8	.11
4805-010BSR	1	27/32	1-25/32	3- 3/4	1-11/16	.22
4805-015BSR	1-1/2	1- 3/16	2- 1/8	4- 1/4	2- 7/16	.41
4805-020BSR	2	1-19/32	2-19/32	5- 3/16	3	.75